



**SUPPLEMENT**  
TO THE BIORESONANCE



NO INFORMATION provided in the supplement REPLACES doctor's advice or help. If someone decides to use this information without consulting a doctor, they undertake self-treatment and take responsibility for this action. Operating manual concerns a device affecting an energy level and holographic body of humans.

Neither the author nor the publishing house takes responsibility for any undesirable effects or consequences resulting from the usage of any preparatory method or procedure described in this book, or for any ensuing damage in further medical claims. Sentences and expressions included in this paper are just for informational and theoretical purposes and are based mainly on personal convictions and theories of the Author.

# I. HISTORY

## OF THE BIORESONANCE THERAPY

History of the bioresonance therapy can be defined briefly as a fight of hope of recovery, love of life, and willingness to help people in getting rid of diseases with the desire for profit of pharmaceutical concerns, administration system, and skepticism of medical community.

Bioresonance therapy has its roots at the close of the 19th century. Long before the Morrel's hypothesis (1977) and his promotion of the BRT method, a Russian scientist named N. Wiedensky experimented in 1879 on the electric rhythmical influence on the living body systems. Together with A. Uchtomsky he prepared a theory of physiological parabiosis, variable lability, assimilating optimal rhythm of alternate lability, and a theory of dominant. D. Nasonow worked out a theory of cell paranecrosis (para - on the border, necrosis - destruction, death of a cell, a tissue, an organ). N. Wiedensky validated experimentally a concept of optimal rhythm that is expressed in the sudden increase in the activity of a cell, a nerve, or an organ during a rhythmical electric irritation or affecting with a specific frequency at the minimum level of stimulation. And this is what a bioresonance is, a notion that no mainstream scientist wants to accept. Wiedensky introduced an idea of a „physiological parabiosis“ as a normal mobile functional state maintained and controlled by the frequency coming from nerve centers of the same body, from its nervous system. Selye and Simonov discovered process phases analogous to the parabiosis in the adaptive syndrome. Pavlov in turn, discovered identical phases of reaction of the whole brain.

At the beginning of the 20th century a Russian scientist, Alexander Gurwicz, discovered that every multicellular organism emits an electromagnetic field generated by individual cells. As a result of this, a general field of a living organism is created and has a very important role in all physiological processes.

After that the idea of bioresonance interaction was developed by Raymond Rife who used an electromagnetic fields generator to treat cancer in its final stadiums.

As early as in 1934 this scientist invited 16 terminally ill volunteers in the final stadiums of cancer only to have 14 of them completely cured after 3 months of treatment and the last 2 after 4 more weeks.

Rife's genius enabled him to create a microscope of the unprecedented magnifying possibilities. The microscope helped to establish the frequency of electromagnetic emission on which the patient's molecules and their sick cells were vibrating. He acted on the latter so that he could kill them. Within few years he created a table of frequencies that were deadly for specific pathogens (see „The Rife Handbook - Frequency Directory“ by Nenah Sylver, PhD).

In 1933 he improved this technology and created an incredibly sophisticated, universal microscope made of almost 6000 elements that could magnify objects 60000 times. Rife became the first human who really saw a living virus. Modern electron microscopes almost immediately kill everything so what we really observe are the mummified remains and waste. Rife's microscope enables to observe a stormy activity of living viruses as they change their shapes to adapt to changes in the environment, react rapidly to carcinogenic substances and change normal cells into cancer cells.

Rife carefully identified individual emission spectrum for every microorganism using the properties of spectrum analysis.

He was slowly turning quartz prisms to focus light of one wave length on a researched microorganism. This wavelength was selected by him because it resonated with a spectral part of microorganism's emission. Today we know that every molecule vibrates

in their own specified frequency. Atoms that combine to create a molecule are combined in this molecular configuration with covalent energy bonds in such a way that a molecule emits their own electromagnetic frequency that can be established. Two different molecules always have different electromagnetic vibrations and different electromagnetic spectra. Resonance intensifies light in such a way as two sea waves increase as they join together.

YOU CAN SEE EXAMPLE OF THIS HERE:

<http://youtu.be/BE827gwnnk4>

As a result of usage of the resonance wave length microorganisms invisible in white light become visible in reflected light. They become visible because the frequency of light resonates with their own radiation spectrum. This is how Rife saw microorganisms that had previously been invisible and observed their infiltration into the tissue structure. Rife's discovery enabled him to observe organisms that no one could see before using normal microscope.

More than 75% of organisms seen by Rife with his universal microscope (such microscope costs between EUR 187 500 and EUR 250 000 in the upgraded version; see [www.grayfieldoptical.com](http://www.grayfieldoptical.com)), became visible only in the UV light. UV light is invisible for human eyes. Rife's special method of illumination enabled him to overcome this limitation using a conversion based on the technique of combining two signals to obtain the third - differential. He illuminated microorganisms (usually viruses or bacteria) with two different wavelengths with the same ultraviolet short frequency that resonated with a spectral part of the microorganism. These two wavelengths interacted with each other in the point of convergence. Such interaction effectively created the third, longer wave that hit a visible part of the electromagnetic spectrum. Thanks to this discovery Rife made microorganisms visible without killing

them. Rife identified 400 different types of cancer and matched them with specific frequencies.

Since then, many scientists and doctors have confirmed Rife's discovery consisting in the fact that cancer is created by viruses visible in a specific spectrum of frequencies.

Furthermore, Rife used the resonance principle to kill viruses. By increasing intensity of a given frequency that resonated with the viruses, Rife was increasing their natural vibration until they were killed due to the radiation. He called this frequency a Mortal Oscillatory Rate or „MOR“, and the radiation itself did not harm any surrounding tissue. Rife's research took him many years. He worked even 48 hours without any breaks to find specific frequencies killing specific viruses.

In 1934 the University of Southern California designated a special medical committee for research on treating terminal cancer patients that involved doctors and pathologists of Pasadena County Hospital who were told to examine the patients - as long as they were still alive - every 90 days. After 90 days the committee decided that 86.5% of the patients were completely cured. Within the next four weeks the remaining 13.5% of the patients were also cured. Thus, using Rife's technology 100% of the patients were completely cured.

On November 20, 1931 representatives of 40 most renowned medical facilities participated in Rife's lecture on neoplastic diseases. However, in 1939 almost all of them claimed that they had never met or saw Rife. What happened? What cause such an amnesia at so many luminaries of medicine?

News of Rife's discoveries and his successful treatment of terminal cancer patients reached too many people. At first, there were attempts at bribing Rife to make him cooperate with pharmaceutical concerns. Rife declined. Then, within 16 months he

was arrested 125 times. He was accused of practicing medicine without license. Pharmaceutical community was against researching Rife's treatment that had efficiency close to 100 per cent.

Rife spent many years on gathering evidence of efficacy of his method, including photographs and movies. Finally, documents, movies, and scripts started to disappear from Rife's laboratory. Perpetrators were never apprehended. When Rife was doing what he could to recreate data (there were no copy machines and computers in his times), someone was destroying his precious microscopes. Arson led to burning down of a worth millions of dollars laboratory in Burnett in New Jersey when the scientists were preparing to confirm Rife's theses. Yet the final blow came when the police confiscated the remainder of fifty-year research of Rife. Hoyland was the only company producing devices for Rife. This company lost the lawsuit and went bankrupt. During the Great Depression it meant a complete discontinuation of production of Rife's devices.

Despite the fact that Rife's method of treatment proved its 100% effectiveness, it was soon forgotten thanks to the efforts of pharmaceutical concerns as their owners understood the threat of this innovative method to their business. Eventually, Rife started to drink, got addicted to alcohol and the method was forbidden.

Harold Saxton Burr from Yale University with some biologists and other scientists researched from 1940 to 1945 a theory and discovered that all living organisms had an electromagnetic field and, as a result, must have a magnetic field that is quite complex.

Next came papers by Reinhold Voll whose discoveries were based on the knowledge of ancient Chinese about individual points that, when affected, could improve or worsen the condition or action of specific organs. After many experiments Voll discovered that there were points on the human skin in which the number of nerve endings and electric potential of skin were higher than normal. This is how electroacupuncture was created. (See

„Prawie wszystko o metodzie Volla” by O. Korycki and A. Smielianiec)

In 1975 a German physicist called Fritz-Albert Popp proved that all biological processes in an organism occurred due to an electromagnetic interaction of cells. It means that in every organism there is a sophisticated communication system consisting in electromagnetic waves and photons by which the cells exchange necessary information and this communication occurs much faster than the one conducted through nerve fibers and hormones.

Next bases of bioresonance treatment were created in 1977 when a German scientist called Franz Morell created MORA therapy with an engineer, Erich Rasche.

Currently, there are many devices for bioresonance treatment but their operation is mostly based on the same principle that the research of brilliant Rife.

### MORE INFORMATION ABOUT RAYMOND RIFE IN POLISH ON WEBPAGES:

<http://www.igya.pl/polecana-literatura/troche-historii/276-raymond-rife-genialny-naukowiec>

<http://www.igya.pl/polecana-literatura/troche-historii/473-tajemnice-generatora-rifea-cz1>

<http://www.igya.pl/polecana-literatura/troche-historii/474-tajemnice-generatora-rifea-cz2>



## II. METHODOLOGICAL RECOMMENDATIONS

Among other things, the device can be used in medical practice and physiotherapy. The device has a deactivating effect on pathological macro- and microorganisms on energetic level and their toxins that cause many diseases and pathological states. This enables to solve a number of problems in medicine, cosmetology, sport medicine, and veterinary medicine efficiently and safely at the physical level of an organism.

Many diseases are closely related with the occurrence of parasitic, bacterial, and viral factors in the body, both pathogenic and symbiotic. An infectious agent (viral, bacterial, mycotic, and parasitic causing inflammation of internal organs) is the most common cause of serious chronic diseases such as: Parkinson's disease, Alzheimer's disease, AIDS, multiple sclerosis, uterine myoma, mastopathy, reactive arthritis, ischaemic heart disease, arteriosclerosis, skin diseases, etc. In cells and cavitory organs (empty inside) pathogens and parasites are almost inaccessible for almost every type of reaction but during permeation into blood it is much easier to obtain the designated target as acute and chronic processes in an acute stage are easier to treat.

In his papers published in 1978, F. Morel proved that every organism as such as well as its individual organs and tissues emit minor electromagnetic vibration in a wide frequency spectrum: cells are constantly moving and thus, their membranes are constantly vibrating. Vibration creates an electromagnetic field that has a specific parameters (frequency, amplitude, etc.). Pathogens (viruses, bacteria, parasites) also cause such vibrations. These are the so-called pathogenic vibrations caused by life functions of harmful microorganisms that disturb a physiological balance. As

one of the first people, Morel proposed the possibility of not only registering biological potentials but also impacts of electromagnetic signals of coincidental configuration on human organism, pathogens, and parasites. Basing his ideas on laws of physics, he proved that if one acts on a human or parasites with weak electromagnetic waves of specific parameters than thanks to the resonance they could cause an improvement of internal potential of cells or weakening the potential of cells of a pathogenic organism, including its death. This is how a promising direction in medicine was born - a bioresonance treatment (BRT).



Bioresonance treatment opened the doors to the effective fight against burdens. Even though normal diseases could be treated, parasites, viruses, bacteria, and fungi were becoming a real threat to the human race. Few people know that there are several thousand of unicellular and multicellular organisms (roundworms, flatworms, bacteria, fungi, protozoa, etc.) that thrive only on different organs and tissues of human body. The fact that is impossible to detect many parasites with traditional diagnostics makes our situation even worse as through thousands of years they managed to adapt to unnoticeable existence in our bodies. Furthermore, according to the official statistics we are the permanent hosts for up to 97% of them.

### **1. PHYSICAL AND BIOLOGICAL BASES OF RESONANCE TREATMENT**

BRT is a treatment using external signals that resonate with individual microorganisms or their systems. BRT enables to efficiently remove various types of pathogenic vibrations in all stages of the process without harming human body. In a human body the following things are the main sources of electric and electromagnetic signals: muscle activity (for example rhythmic contractions of the heart muscle), bioelectric activity (transfer of electric impulses from organs of senses to brain and signals from brain to performing organs), and metabolic activity of organs and systems (me-

tabolism). Many microorganisms (protozoa, a number of intestinal parasites, fungi, bacteria, and viruses) have no nervous system and no muscles which means that in their cases metabolic activity is the source of electric and electromagnetic fields.

Every form of life has their own unique spectrum of frequencies which means that every microorganism and macroorganism has their own range of vibrations specific for their metabolism and a nature of chemical compounds in macromolecules of pathogens. From the point of view of biophysics, metabolism consists in connecting and breakdown, creating new and breaking down old compounds, i.e. what distinguishes animate matter from inanimate matter. This process includes charged molecules - ions, polarized molecules, water dipoles. Movement of any charged molecule creates a magnetic field around it; a field of charged molecules creates an electric potential of a specific character. These premises enable to approach healing from a physical point of view and not a chemical (medicine) in a traditional meaning.




Metabolic processes undergoing in the infectious factor create electromagnetic vibrations of a frequency depending on the intensity and nature of the given metabolism.

In case of cells of one type and identical structure the frequency is also identical.

After years of research scientists discovered that all living organisms (including microorganisms) emit electromagnetic waves. Moreover, every living being emits electromagnetic fields of a specific range of frequencies. This is why we can identify and deacti-

vate every type of pathogens as every type has its own frequency range specific only to it. Currently, over 150 thousand types of parasitic forms are registered.

The principle of bioresonance can be used both in the diagnostics and in the treatment: an electromagnetic field affects a human body with a frequency of a specific pathogen and if it is present in the organism there occurs a resonance reaction or intensification of the signal. Furthermore, indicators in biologically active points or zones that can be diagnostically examined change. The same principle of interaction is the basis of resonance and frequency treatment. When chemical compounds in macromolecules of pathogens are impacted with an active ingredient of a specific frequency, the vibrations are suddenly intensified. Metabolic processes undergoing in the infectious factor create electromagnetic vibrations of a frequency depending on the intensity and nature of the given metabolism.



*Fig. Signal amplitude increases several times*

In order to suppress the activity of specific pathogens one does not have to use antibiotics, antiparasitics, or antimycotics, or pharmacological methods hazardous to human body.

If one knows the frequencies of metabolic activity of specific pathogens, they can interact with them using fluctuations of frequencies that upset their own rhythms and thus, suppress their normal activity.

In other words, such treatment is aimed at deactivating using transformation of specific frequencies of fungi, viruses, bacteria, protozoa, and parasitic worms that infiltrated into the organism and at ensuring that toxins created as a result of that can be removed from the organism without harming the latter thanks to the effect of dynamic frequencies on chemical bond in macromolecules of pathogens.

The frequency therapy is based on the principle of irregular impact of electromagnetic vibrations of a specific frequency, shape, and amplitude on various forms of pathogens.

Frequency therapy is an efficient and safe method of getting rid of and preventing many diseases that are caused by pathogens. It enables to significantly decrease or completely remove the need of pharmacological treatment.

The treatment leads to a block of work of enzymatic systems in pathogenic microorganisms as well as processes of cell respiration which leads to the metabolic abnormalities in these microorganisms, decrease their pathogenicity and toxicity. As a result of the decrease in activity of biochemical processes in microorganisms all their biological processes are disrupted. Thus, they can become an easy target for an immune system as they can no longer produce many toxins and enzymes. At the end, all these changes lead to death of the pathogen. However, after the pathogens die, considerable amount of pieces of microorganisms and their en-

dotoxins land in blood and lymph which leads to poisoning with its characteristic symptoms: headache, nausea, muscle and joint pain, vertigo, rashes, weakness, and drowsiness. The more there are pathogens in patient's organism, the more intensive their biological processes and healing process and the stronger poisoning and the above-mentioned symptoms.

Electronic control of the selection of frequency and amplitude of a therapeutic impulse enables to accurately select treatment plan and exclude mistakes that often happen when these things are controlled manually (mechanically).

As the signal amplitude can be changed depending on the type of electrodes and individual features of patient's organism, one can obtain a maximum therapeutic effect without unpleasant subjective experience and conduct a comprehensive treatment of a wide range of pathological states. Gradual, scanning, and dynamic action of frequencies covering most of the existing therapeutic frequencies enables to avoid the so-called „dead zones“ of action, i.e. sections of spectrum in which there is no action.

High quality of sub-assemblies by the leading global producers, occurrence of quartz stabilization of frequencies, ensure high degree of stability and precision of the generated signal (to 0.001 Hz) and guarantee efficient and safe operation of the device during it's lifetime if terms of use are obeyed.

To ensure user's convenience the device includes the function of voice prompts for every stage of work with the device. The user can change the volume of such prompts. Simplicity and convenience of operation enable to learn the usage of the device in no time and with no extra effort.

During a standard session defensive forces of pathogenic microorganisms are weakened and the amount of toxins produced by them is decreased which helps immune system to recognize and eliminate them on tissue and cellular levels. Thus, beneficial flora can return to its natural niche and drive the pathogens away.

If the methodology of the treatment is observed, in over 80 per cent of cases patient's organism is fully freed of the above-mentioned pathogens and chronic diseases go into permanent remission.

Full recovery of the beneficial flora may take some time - from one month to two years. This time depends on the state of the flora itself, patient's age, their way of life, operation of their various systems, nature of nutrition, and ecology of their environment.

Frequency treatment can be used in the background of clinical methods of treatment as well as in order to prevent a variety of pathological states.

The device enables to conduct a drug-free, etiological, and pathogenetic treatment, prevention, and rehabilitation of a considerable number of diseases, pathological states, and syndromes of infectious nature in medical centers, consultation rooms, and at home - at all stages of the development of pathological state.

One should point out that in most cases the spectrum of frequencies of the whole number of pathogens is very close or even overlapping. Thus, the treatment of one pathogen leads to the elimination of the whole number of other forms of pathogenic flora.

## 2. INDICATIONS

- **nervous system diseases:** migraine, headache, increased intracranial pressure, neuralgias, sciatica, facial nerve paralysis, vegetoneurosis, insomnia, sleep disorder, chronic fatigue syndrome;
- **endocrine system disorders:** eating disorders, metabolic disorders, hyperthyroidism, hypothyroidism, diabetes, adrenal dysfunction, genital system dysfunction, obesity, subthalamic and pituitary system dysfunction,

- **mental and behavioral disorders:** depression and neurotic conditions, neurosis, toxic psychosis, psychosomatic disorders, lack of or loss of sexual attraction,
- **circulatory system disorders:** hypertension, hypotension, myocardial ischaemia, vegetoneurosis, effects of the cerebral circulation impairment, encephalitis, varicose veins,
- **respiratory system diseases:** running nose, sinusitis, tonsillitis, pharyngitis, laryngitis, vocal cords and larynx diseases, acute respiratory tract infections, flu, acute and chronic bronchitis, bronchial asthma in remission,
- **oral cavity diseases:** paradontosis, bad breath,
- **stomach and duodenum disorders:** gastric ulcers and duodenal ulcers in remission, gastritis, duodenitis, chronic inflammation of stomach and intestines,
- **liver and bile ducts disorders:** biliary dyskinesia, chronic cholecystitis, chronic hepatitis in remission, liver cirrhosis (in compensation and sub-compensation), steatosis,
- **pancreas disorders:** chronic pancreatitis in remission, malsecretion of pancreatic enzymes,
- **diseases of intestines:** chronic enteritis and colitis, irritable bowel syndrome, chronic ulcerative colitis, postoperative intestinal paralysis,
- **diseases of skin and subcutaneous tissue:** ulcers, psoriasis, hives, burns and frostbites, erysipelas, inflammations, alopecia areata, herpes,
- **diseases of the musculoskeletal system:** rheumatoid arthritis and its other forms, arthrosis, intervertebral discs paralysis, backache, injuries and bone diseases, diseases of joints and spine, slow growing together of fractures, injuries to tendons and ligaments, spinal muscular myositis,



- **urology diseases:** chronic cystitis, prostatitis, urethritis, chronic nephritis, urolithiasis,
- **gynaecological and andrological diseases:** prostatic hypertrophy and adenoma, acute and chronic, some forms of ejaculation dysfunctions and male infertility, dysmenorrhea, pathological menopause, salpingitis, adnexitis, myoma, fibroma, cervical erosion, secondary female infertility,
- **ocular diseases:** acute and chronic conjunctivitis, cataract, optic neuritis, eye pain,
- **ear and mastoid bone disorders:** chronic ear infection, non-purulent otitis media, tinnitus, hypoacusia, otalgia,
- **dermatological diseases:** decrease in the flexibility of skin, inflammation and allergic infections of skin and hair follicles of various origins.

### 3. CONTRAINDICATIONS

- pacemaker,
- malignant and benign cancers,
- epilepsy,
- pregnancy,
- acute coronary syndromes and acute cerebral blood flow disorders,
- bleeding disorders,
- personal hypersensitivity to the influence of electromagnetic effect,
- injured skin and skin diseases where skin touches the electrodes,
- acute psychic agitation or inebriation.

#### 4. PREVENTION

In order to decrease the intoxication syndrome it is recommended that the patients increase their water intake (1-1.5 l): water with low mineral content, filtered water, weak herb infusions.

**In order to calculate your individual daily water requirements you should divide your body mass in kilograms by 0.45 and multiply by 0.012.**

$$\frac{\text{Body mass}}{0,45} \times 0,012 = \text{daily water requirement}$$

for example.

$$\frac{75 \text{ kg}}{0,45} \times 0,012 = \text{22 liters of water / 24 hours}$$

It is highly probably that your primary disease and/or secondary diseases will aggravate as it happens during the homeopathic treatment which is an indirect confirmation of the right choice of treatment.

In all cases of aggravation it is recommended that the process of treatment is controlled by the specialist who can appropriately adjust the therapy to the patient's needs.

**The remaining complications can be caused by:**

- the arbitrary change in doctor's orders made by the patient,
- the consumption of alcohol, breaking the recommended diet or mode of nutrition,
- high stress, cooling leading to the breakdown of organism's adaptation reactions,
- constant contact with the pathogen in your workplace or at home, direct contact with the hosts,

- infections, such as sexually transmitted diseases, viral and bacterial infections (staphylococcus, streptococcus), mycoses (mycotic mold infections transmitted by droplet route or direct contact).

## **5. GENERAL METHODOLOGY OF THE FREQUENCY TREATMENT**

**During the treatment the patient has to closely abide by the following recommendations:**

- Drink as much clean water with low mineral content as you can (up to two liters a day).
- Use sorbents to speed up the detoxification process. Activated carbon (one tablet per 10kg of body mass) is a recommended sorbent.
- Observe the rules of food combining or a diet recommended for you. For example, if you have candidosis you should eliminate farinaceous foods and sweets as well as stop taking silicon, vitamin C, and flax seed.
- Eliminate alcohol, coffee, spicy and fried food (light diet).
- Alleviate foci of chronic infections (rinsing throat and nose with antiseptic solutions, irrigation, drainage of bile ducts).
- It is recommended to take preparations with beneficial microflora or its spores as well as sour milk products high in bacteria.
- It is recommended to take a shower twice a day to remove toxins and metabolites from your skin.
- It is recommended to use cholagogues or herbal teas, diuretic phytopreparation or combinations of herbs (cranberry leaves, corn stigma, dandelion, melilot, parsley root, barberry, mountain box, common knotgrass, aspen, ground pine, false hellebore).

## 6. CHRONOBIOLOGY OF RESONANCE TREATMENT

Sessions should be conducted always at the same time of day, +/- two hours. In severe cases the sessions should be done twice a day.

The treatment of viral diseases caused by the herpes viruses, hepatitis viruses, or papillomas should be conducted every day (in case of high pathogenicity twice a day) without breaks between cycles, and controlled by laboratory tests and Voll's method or Vegatest until total elimination of the pathogen and regression of symptoms.

Every packate of frequencies in the device includes a set of resonance frequencies of targeted action for elimination of a specific pathogen, including all its phases of development. The more precise selection of frequencies and their direction, the faster healing effect and the whole treatment of the pathological state. Very important aspects in the treatments based on active bioresonance are: shape of the output signal, its stability, and lack of „dead zones“ - all this prevents the pathogen from escaping the electromagnetic impulses. It is also important that in order to efficiently and safely eliminate a number of pathogen one has to act on all stages of development of the pathogen as well as the toxins (to speed up the detoxication processes).

### NOTE!

After the pathogens causing the infections are killed by the bioresonance frequencies, a considerable amount of enzymes from microorganisms and their endotoxins land in tissue fluid, blood, and lymph and this intensifies poisoning with its characteristic symptoms: nausea, muscle and joint pain, vertigo, rashes, weakness, drowsiness, and worsening of symptoms of the basic disease.

The more there were pathogens in patient's organism, the more intensive was their action and thus, the healing process.

The worse action of one's own detoxification systems (liver, kidneys, bowels, skin), the stronger poisoning and the more visible the above-mentioned symptoms.

The final elimination of pathogens from the organism is the result of actions of the immune system. This is why against the suppressed reaction of the immune system action of all agents is of little effect and the long-term therapy is required. With this in view, immunomodulators are used in order to improve the state of the immune system. Immunomodulators are preparations that used in therapeutic doses can restore action of the immune system (efficient immune defense).

# III. OVERVIEW

## OF MICROORGANISMS LIVING IN HUMAN BODY

- protozoa
- tapeworms
- flukes
- roundworms

### 1. 1. PROTOZOA

PROTOZOA AND DISEASES CAUSED BY THEM	PORTALS OF INFECTION	LOCATION OF PROTOZOA IN ORGANISM	OCCURRENCE
Entamoeba histolytica (dysentery)	Feces - soil, water, food, dirty hands - mouth	Large intestine, sometimes internal organs	Common, usually in the south, can be brought from tropical countries
Free amoebas (negreriosis, hartmanella, acanthamoebiasis, meningitis)	Water, dirty hands - nasal cavity, nasopharynx	Nasopharynx, brain, spinal canal	Little data
Babesia (babesiosis)	Ticks, through bite - skin	Erythrocytes	Among cattle in Europe
Balantidium coli	Feces - water, food, vegetables, dirty hands - mouth	Large intestine	Common, mostly in the south
Coccidia (coccidiosis)	Feces - water, food, vegetables, dirty hands - mouth	Large intestine	Common, mostly in the south
Cryptosporidium (cryptosporidiosis)	Animals, feces, food, water, dirty hands - mouth	Digestive system	Little data

PROTOZOA AND DISEASES CAUSED BY THEM	PORTALS OF INFECTION	LOCATION OF PROTOZOA IN ORGANISM	OCCURRENCE
Leishmania (leishmaniasis)	Mosquito (through bite) - skin	Skin, lymph nodes, bone marrow, liver, spleen	Central Asia, Transcaucasia, South Kazakhstan
Giardia lamblia (giardiasis)	Feces - soil, water, vegetables, dirty hands - mouth	Upper segment of the small intestine, bile ducts	Common
Plasmodium malariae (malaria)	1. Anopheles maculipennis (through bites) - capillaries 2. Donor blood - blood vessels	Liver, erythrocyte	Individual centers in the south, brought from tropical countries
Pneumocystis (pneumonia)	Drops of bronchial mucous in the air, phlegm - respiratory tract	Respiratory system	Common
Sarcocystis	1. Raw meat - mouth 2. Feces (of rodents) - water, soil, vegetables, hands - mouth	Mucous membrane of small intestine, sometimes muscles	Not thoroughly examined
Toxoplasma (toxoplasmosis)	1. Cat faeces - dirty hands - mouth 2. Raw meat - mouth 3. Intra-womb	All tissues, most often brain, eyes, lymph nodes	Common
Trypanosoma (African trypanosomiasis)	1. Tsetse fly (through bites) - capillaries 2. Donor blood, syringes - blood vessels	Skin, bloodstream, lymphatic system, internal organs, most often brain	Only brought from other countries

PROTOZOA AND DISEASES CAUSED BY THEM	PORTALS OF INFECTION	LOCATION OF PROTOZOA IN ORGANISM	OCCURRENCE
Trypanosoma (American trypanosomiasis)	1. Dipetalogaster maximus (through bites) - capillaries 2. Intra-womb	Skin, bloodstream, internal organs, most often heart	Only brought from other countries
Trichomonas (richomosis)	Vessels - direct contact - mouth	Mouth cavity	Common
Trichomonas hominis	Faeces - dirty hands - mouth	Large intestine	Common
Trichomonas vaginalis (trichomoniasis)	Secretion from genitals (during intercourse)	Urinary system	Common

## 2. FLUKES

FLUKES AND DISEASES CAUSED BY THEM	PORTALS OF INFECTION	LOCATION OF FLUKES IN ORGANISM	OCCURRENCE
Fluke (distomatosis)	Faeces - molluscs - ants - mouth	Liver	Common, especially in the South
Clonorchis sinensis (oriental liver fluke)	Faeces - molluscs - raw fish and crabs - mouth	Liver bile ducts, gall bladder, pancreas	Far East
Metagonimus yokagawai (metagonimiasis)	Faeces - molluscs - raw fish - mouth	Small intestine	Basin of Amur River
Opisthorchis (opisthorchiasis) opisthorchis viverrini	Faeces - molluscs - raw fish - mouth	Liver bile ducts, gall bladder, pancreas	West Siberia, Kazakhstan, Europe
Paragonimus (paragonimiasis)	Faeces - molluscs raw fish and crayfish mouth	Bronchi	Far East



FLUKES AND DISEASES CAUSED BY THEM	PORTALS OF INFECTION	LOCATION OF FLUKES IN ORGANISM	OCCURRENCE
Sheep liver fluke (fascioliasis)	Faeces - molluscs - water - seaweed - mouth	Liver bile ducts, gall bladder	Central Asia, Kazakhstan, Transcaucasia
Blood fluke (urogenital schistosomiasis)	Urine - molluscs - water - skin	Blood vessels of the urinary bladder	Most often brought from other countries
Schistosoma mansoni (intestinal schistosomiasis)	Feces - molluscs - water - skin	Veins of colon and abdominal cavity	Most often brought from other countries
Chinese liver fluke (schistosomiasis)	Feces - molluscs - water - skin	Veins of colon and abdominal cavity	Most often brought from other countries

### 3. TAPEWORMS (TAENIASIS)

TEPEWORMS AND DISEASES CAUSED BY THEM	PORTALS OF INFECTION	LOCATION OF TAPEWORMS IN ORGANISM	OCCURRENCE
Broad fish tapeworm (diphyllobothriasis)	Faeces - cyclops - fish - mouth	Small intestine	Northern and central Russia, Baltic Sea countries
Unarmed tapeworm (taeniasis)	Faeces - half-cooked beef - tartar steak - mouth	Small intestine	Common, especially around animal farms
Dwarf mouse tapeworm (hymenolepiasis)	Faeces - mealworm and other pests feeding on grain and flour - flour and farinaceous foods - mouth	Small intestine	Common
Dipylidium caninum (dipylidosis)	Faeces - flea larvae - mouth	Small intestine	Common
Armed tapeworm (taeniasis)	Faeces - half-cooked pork, ground meat - mouth	Small intestine	Common, especially around pig farms
Hydatid tapeworm	Faeces - dirty hands - mouth	Internal organs	Common, especially around pig farms

#### 4. NEMATODES (ROUNDWORMS)

NEMATODES (ROUNDWORMS)	PORTALS OF INFECTION	LOCATION OF NEMATODES IN ORGANISM	OCCURRENCE
Human roundworm (ascariasis)	Feces - soil - hands, vegetables, fruit - mouth	Small intestine	Baltic Sea countries, Southern and Central Europe, less often - Central Asia
Whipworm (trichuriasis)	Feces - soil - hands, vegetables, fruit - mouth	Large intestine (appendix)	Baltic Sea countries, Southern and Central Europe, less often - Central Asia
Hookworm (ankylostomiasis)	Faeces - soil - vegetables - mouth (less often feces - soil - skin)	Duodenum and upper segment of the small intestine	Central Asia
Necator	Faeces - soil - skin	Duodenum and upper segment of the small intestine	Transcaucasia
Pinworm (oxyuriasis)	Faeces - skin - dirty hands, toys, underwear - mouth	Large intestine	Common
Strongyle (strongyloidiasis)	Faeces - soil - skin	Upper segment of the small intestine	Common, most often in warm and humid climate
Gastrointestinal nematodes	Feces - soil - water, greens, hands - mouth	Duodenum	Around animal farms
Trichina (trichinosis)	Contaminated meat - mouth	Spinal muscles	Common

# IV. THERAPIES

## SUPPORTING DEHELMINTISATION SESSIONS

### 1. SCHUMANN WAVES

Schumann waves are standing electromagnetic waves of super-low frequencies. They spread between surface of the Earth and its ionosphere. Ionosphere is an upper diluted atmospheric layer spreading between 85 km to 1000 km over the surface of the Earth. In the ionosphere there is a significant amount of free electrons and ions created through ionization of atmospheric gas. Ions create layers with the majority of one type of ions (positive or negative). For humans, of especial importance are the „E layer“ (100 to 120 km above the surface of the Earth with the majority of positive ions) and the „F layer“ (over 200 km above the surface of the Earth with the majority of negative ions). These waves can reflect radio waves, especially the short ones. Thus, they enable long-range radio communication through multiple wave reflections. Temperature in the ionosphere rises from  $-80^{\circ}\text{C}$  (in its lower layers) to about  $1000^{\circ}\text{C}$ . This is why it is also called the thermosphere.

There are several types of standing waves. Some are permanent, others less permanent and disappear quickly. The Earth's biosphere along with humans have been developing and existing in the conditions of relative permanency of electromagnetic waves and ionizing radiation. Atmospheric phenomena (storms, lightnings, ball lightnings) and radio waves of Sun and stars are the basic source of natural electromagnetic background on Earth.

We know that about 2/3 of the Earth surface is covered by salt water that can conduct electricity. The remaining surface of the Earth has underground water of lower but still important electric conductivity. Ionosphere containing free electrons that conducts electric current starts at a height of 100 km.

Thus, everything that lives on the planet Earth is inextricably linked with each other. Presence of these relations has long been accepted by even the most dogged skeptics and the nature of this unique phenomenon was described by the talented German scientist called Schumann. Researching electromagnetic field between surface of the Earth and ionosphere, Schumann confirmed the existence of a natural resonance in his experiments. Frequencies of this resonance match the „standing waves” and wavelength is close to the length of perimeter of the Earth.

Theoretical frequency of the first resonance wave calculated by Schumann is 8.5 Hz. In reality, this frequency is still oscillating between 7.6 and 8.4 Hz. In order to give the specific value, an average is given as 7.83 Hz or 8 Hz.

There are also waves that are its multiple, e.g. of frequencies 8 - 14 - 20 - 26 - (32) Hz. On higher frequencies the resonance becomes almost imperceptible.

These waves are induced by electrical discharges in the atmosphere (lightnings) and magnetic processes in the Sun and on the Earth (solar wind) and other factors. These electromagnetic waves circulate only between the Earth surface and upper layer of the ionosphere. It is a common belief that Schumann waves are essential for synchronization of biological rhythms and real life of everything that lives on the surface of the Earth. At health people, lack of these waves in nature can cause headaches, loss of spacial orientation, nausea, vertigo, stress, and other disturbances. At the elderly and sick, lack of Schumann waves causes the same symptoms but intensified plus a depression and general bad mental state.

Research on Schumann waves aroused especial interest of aerospace engineers. When astronauts left the Earth ionosphere, they felt the lack of Schumann waves. Their memory started to malfunction, they were disoriented and stressed. As soon as possible, emitters of Schumann waves were installed in all space stations.

Currently, all employees of NASA use Schumann waves generators to ensure constant capability of the whole personnel.

Scientists studying brain activity determined that it has a specific rhythms and a limited scale of electromagnetic waves within which it can operate. These are the rhythms of brain activity:

- 0,5-3,5 Hz – Delta rhythm, deep sleep.
- 4-7 Hz – Theta rhythm, normal sleep.
- 7,5-13,5Hz – Alpha rhythm, relaxation, state of ecstasy.
- 14-30 Hz – Beta rhythm, activity, normal daily brain activity.
- 30-40 Hz – Gamma rhythm, increased activity, fast logical thinking, solving problems in difficult conditions and under pressure of time.

One can see a cause and effect relation between brain activity and Schumann waves. Schumann waves and primary as they were on the Earth before humans. Electromagnetic waves of the brain are secondary as they appeared at the moment of its creation not only at humans but also at other animals. Nature is rational and uses everything it created. Let's put ourself in place of nature. How do we create a system that can learn and is water-based? Water is a weak electrolyte. If you divide it with membranes and dissolve various chemical compounds in it, you get an electrolyte (positive and negative). For ions to move you need an energy in the form of electromagnetic waves of low frequency - a certain „eternal engine“ using the energy of the Universe - Sun, Earth, Moon. Of all the cosmic forms of energy, on Earth the best tools to this end are electromagnetic Schuman waves and electromagnetic waves of the Earth. Due to the fact that they have a low frequency of vibrations, they can be used as „engine of ions“ in the water that is the base of life on the Earth. Based on this concept began the process of development of life on the planet. Human brain and animal brains are constantly recharged with the energy of space. Electromagnetic waves set ions in the cerebrospinal fluid in motion. If there are no such waves or if their action is weak, we are

deprived of means of forcing the ions in the spinal cord to move. This is why we feel uncomfortable, start to be ailing, feel disorders of all kinds, and lose access to the information stored in our brains.

Usually, the literature emphasizes the fact that the organism is tuned into the frequency of 8Hz or 7.83Hz - average resonance frequency of the first Schumann wave. It is justified by the fact that when tuned into this frequency, the organism can obtain space energy more efficiently. This is why it feels better. But how does it work? Organism that has the ability to sense the frequencies of Schumann waves feels much better than the organism without this ability. Organism that cannot tune into the Schumann waves in a way discharges its energy accumulators in brain neurons and is forced to take energy from the higher amount of food which can lead to obesity.

Schumann proved that the Earth and a layer of air around it (ionosphere) creates a gigantic spherical resonator. From the point of view of radiotechnology, these are two spheres, one in the other, and the space between them is limited by conducting surfaces. Waves of specific length travel nicely in such a resonator. In this case these are the waves with the resonance at the frequencies: 7.8, 14.1, 20.3, and 24.6Hz that virtually cover with the frequencies of Alpha and Beta rhythms of the human brain. These are the rhythms that we call Schumann frequencies.

The most important resonance frequency called the Schumann wave is closed to the Alpha rhythm of the human brain. This was noticed by Herbert Konig, a doctor who started to work with Schumann. Long-term experiments conducted in the USA and in German in the Max Planck Institute enabled to establish that Schumann waves are necessary for synchronization of biological rhythms and normal operation of everything that lives on the Earth. In case of humans, a limbic system responsible for vital functions of the body is the most sensitive to the Schumann waves.

Apart from the fact that Schumann frequencies match the frequencies on which our brains operate, these waves change their

intensity depending on the intensity of the Sun. This intensity is greater by 15% during magnetic storms. Amplitude of waves is visibly lower at night. This can be explained by low-frequency vibrations escaping through ionosphere which leads to the lowering of amplitude tenfold compared to day-time indicators. Frequency of waves changes depending on the season and location. Frequency of resonance increases in the summer on the Northern Hemisphere and the most distinct vibrations are in places with many storms: India, Africa, Indonesia, and South America.

It is a known fact that people prone to stress and people who live in places with lowered activity of Schumann waves need an emitter of Schumann frequencies. Moreover, the elderly and people with chronic diseases react more severely to their lack. Nowadays, electromagnetic background of the planet has lost its original state due to human activity and is polluted so much that the organism cannot feel the Schumann waves. Changes in this background are related to the emergence of the ozone holes, enormous number of cell phones, and usage of electricity for industrial and domestic purposes.

## V. INDUCTION LOOP (INDUCTOR)

Induction loop (inductor) is for non-contact action of an electromagnetic field of small intensity and range from 1 to 25,000 Hz (from 1 to 100,000 harmonically).

The table below includes the programs that work only with the electrodes.

„Inductor“ function operating with some programs does not support them or supports them partially, depending on the set of frequencies in the given program.

NUM- BER	PROGRAM NAME	INDUCTOR
1.	Bordetella (Bordetella pertussis)	Not supported
2.	Neisseria Gonorrhoeae	Partially supported
3.	Clostridium	Not supported
4.	Plasmodium general	Not supported
5.	Loeffler bacillus	Not supported
6.	Koch's bacillus (Mycobacterium tuberculosis)	Not supported
7.	Streptococcus general	Not supported
8.	Streptococcus pyogenes	Partially supported
9.	Staphylococcus aureus	Partially supported
10.	Staphylococcus saprophyticus	Not supported
11.	Staphylococcus epidermidis	Not supported
12.	Staphylococcus - streptococcus	Not supported
13.	Ureaplasma	Not supported
14.	Helicobacter pylori	Partially supported
15.	Adenovirus	Not supported
16.	Protozoa general	Not supported
17.	Amoeba dysenteriae	Not supported



NUM- BER	PROGRAM NAME	INDUCTOR
18.	Leishmania general	Not supported
19.	Lambliia intestinalis	Not supported
20.	Plasmodium malariae general	Not supported
21.	Toxoplasmosis general	Not supported
22.	Trichomonas general	Not supported
23.	Trypanosoma	Not supported
24.	Candida albicans	Not supported
25.	Roundworms general	Not supported
26.	Anisakiasis	Not supported
27.	Hookworm	Not supported
28.	Ascaris	Not supported
29.	Whipworm	Not supported
30.	Capillaria	Not supported
31.	Threadworm	Not supported
32.	Tapeworms general	Not supported
33.	Broad fish tapeworm	Not supported
34.	Unarmed tapeworm	Partially supported
35.	Armed tapeworm	Not supported
36.	Cysticercosis	Not supported
37.	Flukes general	Not supported
38.	Wuchereria bancrofti	Not supported
39.	Metagonimus	Not supported
40.	Paragonimus	Not supported
41.	Blood fluke	Not supported
42.	Ticks general	Not supported
43.	Demodex folliculorum	Not supported
44.	Gastritis	Partially supported
45.	Heartburn	Partially supported
46.	Meteorism	Partially supported
47.	Flatulences	Partially supported
48.	Normalizing pancreas function	Partially supported

NUMBER	PROGRAM NAME	INDUCTOR
49.	Intestines - general inflammation	Partially supported
50.	Intestinal colic	Partially supported
51.	Crohn's disease	Partially supported
52.	Hemorrhoids	Partially supported
53.	Tonsillar hypertrophy	Partially supported
54.	Blood cleanse	Partially supported
55.	Tuberculosis	Partially supported
56.	Syphilis	Partially supported
57.	Gonorrhoea	Partially supported
58.	Hair loss (alopecia)	Partially supported
59.	Bronchitis	Partially supported
60.	Hyperthyroidism	Partially supported
61.	Depression general	Partially supported
62.	Energy and vitality	Partially supported

## VI. COMPUTER SOFTWARE

### LIFE COMMANDER


Sweeper device includes software called Life Commander for Windows operating systems.

Life Commander gives access to over 4,500 health programs. Moreover, it enables to program a specific number of sessions adjusted to individual needs of the user without the need of looking them up every time separately in the device.

Installation file is on the SD Card you get with the device.

In order to install the software please connect the device to the computer and wait for the SD card folder to open or connect the SD card using the external adapter and wait for the folder to open.

In the folder, please double-click the „Life Commander” icon. During the installation please select Polish as a default language of the installation (if you want to use the program in another language please change it in options in the program).



## 1. MAIN WINDOW AFTER THE INSTALLATION OF LIFE COMMANDER

- A – Drop-down list of the group of programs.
- B – Search box.
- C – List of categories.
- D – Work with projects (saving options).
- E – Integrated tools.
- F – Table of sets.
- G – Table of programs.

## 2. CREATING THE SET OF PROGRAMS

1. Select from the table of sets (F) or create a new set using integrated tools (E):
  - add a set (+),
  - edit the name (#),
  - delete (-).
2. Add a program to the set from the list of categories (C) highlighting the tables of programs (G) and then double-clicking the name of the program (C). Names of the programs will be presented in the table of programs (G).
3. You can manage the programs inside the set using the tools in the table of programs (G):
  - (x) removing program from the set.

Select a program in the table (G) with left mouse button and perform required actions Delete/Duplicate

4. You can set the pause after the program by selecting a desired value from the list:
  - 15 minutes,
  - 30 minutes,
  - 60 minutes.

Default value is 0 minutes. You don't set a pause after the last program from the list due to the fact that it is not followed by any programs.

## 3. SAVING THE SET OF PROGRAMS


1. Saving the set in the file/device

In order to save the created sets to the file (one set is one file) click the "File recording" button in the "Work with projects" panel (D).

If you are saving several sets at a time, they will be divided into individual files with a name you entered during saving and a serial number.

In order to save the sets in the device the device as to be connected to the computer via USB.

#### 4. CREATING A REPORT




In order to create a report on your pattern, click >>Report<< button (D) to see a report form.

Report includes all the information about the treatment pattern:

- names of sets;
- number of programs in every set;
- names of programs in every set;
- length of programs in every set;
- full time of the set;
- date and time of the report.

You can save or print the report using the buttons at the bottom of the window.



### 5. PERSONAL PROGRAMS

Users can create their own programs that are saved in the >>My programs<< group.

Using (+) button on the right-hand side of the A panel you can launch >>to create a new program<< in which you can set the parameters:

- >>name<< (up to 20 characters);
- >>a new complex<< (creating a new one or selecting a previously created folder name on the list of categories) (C);

- >>Complex<<.

Users set the technical parameters of the created program in the middle of the window.

You can add or remove frequency lines in the table of frequencies (H) using + and - buttons.

In the frequency column you set the value in Hz (electrodes - to 3 m Hz, inductor to 25 k Hz)

You set frequency emission time in the >>Duration<< column. Below the frequency table you will see information about the number of frequencies in the created program and time of emission of the programmed frequencies.

By clicking OK you save the created program.

If you select >>My programs<< from the list (A), you will see the created category. Inside you will find the program you can now use to create a new set.

## VII. FILMS

### TRAINING

We prepared for you three training films with information about using and installing the software.

You will find them by going to the following web addresses:

Part 1 *Sweeper* Installation of the software

<http://youtu.be/Wj4Fdh6jY0s>

Part 2 *Sweeper* *Functions of the software*

<http://youtu.be/TJGWQpVrZsU>

Part 3 *Sweeper* *Saving options*

[http://youtu.be/XO8mUc\\_MSb8](http://youtu.be/XO8mUc_MSb8)



# VIII. PROGRAMS DESCRIPTION ON SD CARD

## BACTERIA

### ANTIPARASITIC - GENERAL PROGRAM 1.

BASIC CYCLE: 7-10 days one session daily.

**Additional programs:** detox general (372), normalizing intestines function (154), immunostimulating (294).

### BACTERIA - GENERAL PROGRAM 2.

BASIC CYCLE: 7-10 days one session daily.

Repeated course: After 5-7 days.

**Additional programs:** detox general (372), drainage of the lymphatic system (375).

### BARTONELLA 3.

BASIC CYCLE: 10-14 days one session daily.

First three days 2-3 sessions daily. Repeated course: After 14 days and then after 21 days.

**Additional programs:** detox (bacterial infection, tuberculosis) (374), drainage of the lymphatic system (375), anti-inflammatory (304), thymus (balance) (232).

### BORDETELLA (BORDETELLA PERTUSSIS) 4.

BASIC CYCLE: 7-10 7-10 days one session daily.

Additionally, you should add a „Pertussis“ (277) program every day in the cycle up to 30 days.

**Additional programs:** detox general (372), drainage of the lymphatic

system (375), diastolic (307), immune system (normalization) (230), pertussis (277).

### 5. BORRELIA

BASIC CYCLE: 14 days one session daily

**Additional programs:** detox general (372), drainage of the lymphatic system (375), immune system (normalization) (230), anti-inflammatory (304), sharp pain (128) - neuralgia (146), antirheumatic (295).

### 6. GARDNERELLA

BASIC CYCLE: 10-14 days one session daily (both partners need it!). Depending on the symptoms: connect programs for accompanying infections.

**Additional programs:** detox general (372), regulation of female genital system general (168) - regulation of male genital system general (185), adnexitis (172).

### 7. NEISSERIA GONORRHEAE

BASIC CYCLE: 14 days one session daily.

Run additional cycles with breaks to 10 days.

**Additional programs:** detox general (372), gonorrhoea (281), urinary tract infections (234), anti-inflammatory (304).

### 8. COLON BACILLUS GENERAL

BASIC CYCLE: 5-7 days one session daily.

**Additional programs:** detox general (372), normalizing intestines function (154).

### 9. KLEBSIELLA

BASIC CYCLE: The cycle depends on the location of the process and can last from 5 to 14 days one session daily. Repeated cycle after 10-14 days.

**Additional programs:** drainage of the lymphatic system (short) (376), inflammation general (394), normalizing intestines function

(154), depending on the symptoms: bacterial lung infection (339), nose and nasal sinuses general (199).

### CLOSTRIDIUM 10.

**BASIC CYCLE:** 10-20 days one session daily. Another cycle after 10-14 days. Sessions can be run every other day.

**Additional programs:** detox general (372), depending on the symptoms: anti-inflammatory (304).

### MYCOPLASMA - GENERAL PROGRAM 11.

**BASIC CYCLE:** 12-14 sessions daily, one session per day. For the first three days the sessions are conducted only in the mornings and in the evenings and must be accompanied by the additional programs. Another cycle of sessions after 7-10 days.

**Additional programs:** detox (protozoa infections) (373), immune system (normalization) (230), depending on the symptoms: urinary tract infections (234).

### MYCOPLASMA GENITALIUM 1 12.

**BASIC CYCLE:** 12-14 sessions daily, one session per day, for the first three days the sessions are conducted only in the mornings and in the evenings Repeated cycle after 7-10 days.

**Additional programs:** detox general (372), urinary tract infections (234), urethritis (236).

### MYCOPLASMA HOMINIS 13.

**BASIC CYCLE:** 12-14 sessions daily, one session per day, for the first three days the sessions are conducted only in the mornings and in the evenings Repeated cycle after 7-10 days.

**Additional programs:** detox general (372), adnexitis (172), urinary tract infections (234), depending on the symptoms: gardnerella (6).

## 14. MYCOPLASMA PNEUMONIAE

BASIC CYCLE: 5-14 sessions daily, one session per day.

**Additional programs:** detox (protozoa infections) (373), immune system (normalization) (230), bacterial lung infection (339).

## 15. PLASMODIUM GENERAL

BASIC CYCLE: 14 days one session daily. For the first five days you can run programs several times a day but with necessary connection of additional drainage programs. After that continue with repeating cycles, first every other day and then twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375), muscle cramps (247), spleen (enlarged) (231).

## 16. CORYNEBACTERIUM DIPHTHERIAE

BASIC CYCLE: 10-14 days one session daily.

**Additional programs:** drainage of the lymphatic system (375), detox general (372), detox (bacterial infection, tuberculosis) (374), immunostimulating (294), anti-inflammatory (304), throat (short general session) (193), laryngitis with pain (198).

## 17. KOCH'S BACILLUS (MYCOBACTERIUM TUBERCULOSIS)

This program is used as an additional in the process of basic program, during the chronic course of the disease, during the STT conversion.

BASIC CYCLE: 14 to 21 days of daily usage with the consecutive repeated cycles.

**Additional programs:** detox (bacterial infection, tuberculosis) (374), tuberculosis (short session) (279), immune system (normalization) (230), anti-inflammatory (304).

## 18. PNEUMOCOCCUS

BASIC CYCLE: 5-10 days one session daily. Another cycle: at least once a week.

**Additional programs:** detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (short) (376) - depending on the symptoms: running nose (341) - sinusitis (205) - pneumonia (340).

### PEPTOSTREPTOCOCCUS 19.

**BASIC CYCLE:** 7-14 days one session daily. The cycle should be repeated after 3-7 days for more permanent effect.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - normalizing intestines function (154) - immunostimulating (294).

### SALMONELLA GENERAL 20.

**BASIC CYCLE:** 7-14 days one session daily. In the acute stage for the first three days the program can be connected several times a day but only if in a connection with drainage programs. Run another cycle after at least a week.

**Additional programs:** detox general (372), detox (bacterial infection, tuberculosis) (374) - normalizing intestines function (154), intestines - general inflammation (155).

### STREPTOCOCCUS GENERAL 21.

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372) - detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375) - anti-inflammatory (304).

### STREPTOCOCCUS PYOGENES 22.

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372) - detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375) - anti-inflammatory (304).

### BETA-HEMOLYTIC STREPTOCOCCUS 23.

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372) - detox (bacterial infection,

tion, tuberculosis) (374) - drainage of the lymphatic system (375) - anti-inflammatory (304).

### 24. STREPTOCOCCUS VIRIDANS

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372), detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375), anti-inflammatory (304).

### 25. STAPHYLOCOCCUS GENERAL

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372), detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375), anti-inflammatory (304).

### 26. HAEMOLYTIC STAPHYLOCOCCUS

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372), detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375), anti-inflammatory (304).

### 27. STAPHYLOCOCCUS AUREUS

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372), detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375), anti-inflammatory (304).

### 28. STAPHYLOCOCCUS SAPROPHYTICUS

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372) - detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375) - anti-inflammatory (304) - urinary tract infections (234).

### 29. STAPHYLOCOCCUS EPIDERMIDIS

**BASIC CYCLE:** 5-7 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - immune system (normalization) (230).

### STAPHYLOCOCCUS + STREPTOCOCCUS 30.

BASIC CYCLE:10-14 days one session daily. Another cycle after 7 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - immune system (normalization) (230).

### UREAPLASMA 31.

Program for comprehensive sessions for diseases caused by ureaplasma.

BASIC CYCLE: 10-14 days one session daily. Another course after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - immune system (normalization) (230), adnexitis (172), depending on the symptoms: urethritis (236) - female infertility (182) - male infertility (191).

### CHLAMYDIA GENERAL 32.

BASIC CYCLE:10-14 days one session daily. Another course after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230) - regulation of female genital system general (168) - regulation of male genital system general (185).

### CHLAMYDIA PNEUMONIAE 33.

BASIC CYCLE: 10-14 days one session daily. Another course after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230) - depending on the symptoms: pneumonia (340) - diastolic (307).

### 34. TREPONEMA PALLIDUM

**BASIC CYCLE:** 14 sessions daily, for the first three days two sessions must be accompanied by the drainage programs. Starting from the fourth day „Syphilis (280)” program is recommended. Repeated cycle: after 3-5 days. Depending on symptoms: the third cycle is recommended after 14 days but with sessions conducted every other day. A session is comprehensive and long.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230) - syphilis (280).

### 35. HELICOBACTER PYLORI

**BASIC CYCLE:** 7-10 days one session daily. Another cycle depending on symptoms: after 7-14 days.

**Additional programs:** detox (bacterial infection, tuberculosis) (374) - gastritis (147) - duodenitis (151) - duodenal ulcer (152) - depending on the symptoms: sharp pain (128) - diastolic (307) - heartburn (148).

### 36. SHIGELLA DYSENTERIAE

**BASIC CYCLE:** 7-10 days one session daily. Another cycle depending on symptoms: after 7-14 days.

**Additional programs:** detox general (372) - diastolic (307) - colitis (156) anti-inflammatory (304) - normalizing intestines function (154) - immunostimulating (294).

### 37. STREPTOCOCCUS FAECALIS

**BASIC CYCLE:** 7-10 days one session daily. Another cycle depending on symptoms: after 7-14 days with sessions conducted every other day.

**Additional programs:** detox general (372), diastolic (307), anti-inflammatory (304), immunostimulating (294).



## ENTEROCOCCUS FAECIUM

38.

BASIC CYCLE: 7-10 days one session daily.

**Additional programs:** detox general (372) - immunostimulating (294)  
 - normalizing intestines function (154) - urinary tract infections (234)  
 - normalizing kidney function (233).

## VIRUSES

## VIRUSES GENERAL

39.

BASIC CYCLE: 5-7 days, for the first 1-2 days you can use the program several times a day with at least three-hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394).

## COLDS

40.

Program is used from the first day of the sickness to the complete recovery.

BASIC CYCLE: 5-7 days one session daily. For the first 2-3 days several sessions a day with at least three-hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - depending on the symptoms: throat (short general session) (193) - rhinitis, stuffy nose (202) - running nose (341).

## ADENOVIRUS

41.

BASIC CYCLE: 5-7 days one session daily. For the first 2-3 days several sessions a day with at least three-hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

## FLU GENERAL

42.

BASIC CYCLE: 5-7 days one session daily. For the first 1-3 days every

two hours but no more than 7 sessions.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

### 43. HEPATITIS A

The program is used comprehensively in case of hepatitis A.

**BASIC CYCLE:** 10-14 sessions one session daily. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - diastolic (307) - liver enlargement (162) - normalizing liver function (161) - immune system (normalization) (230) - energy and vitality (382).

### 44. HEPATITIS B

The program is used in case of hepatitis B.

**BASIC CYCLE:** 10-14 sessions one session daily. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - diastolic (307) - liver enlargement (162) - anti-inflammatory (304) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230).

### 45. HEPATITIS C

The program is used in case of hepatitis C. Sessions are comprehensive and long.

**BASIC CYCLE:** 14-20 sessions one session daily. Repeated cycle: after 10 days. In order to achieve an effect at least 5 repeated cycles are required.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - liver enlargement (162) - normalizing liver function (161) - anti-inflammatory (304) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230) - energy and vitality (382).

**HERPES (COMPLEX CASES) 46.**

The program is used for herpes.

**BASIC CYCLE:** 14-20 sessions two session daily. Repeated cycle is required after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - liver enlargement (162) - normalizing liver function (161) - anti-inflammatory (304) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230) - energy and vitality (382).

**HERPES - GENERAL 47.**

**BASIC CYCLE:** 7-14 sessions one session daily. Repeated cycles are necessary and there should be 7 to 10 days of break between them.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292), antistenocardia (292) - immune system (normalization) (230).

**HERPES - SHORT 48.**

The program is used in the same cases as the general program but the cycle is 2-3 days several sessions daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

**HERPES I 49.**

**BASIC CYCLE:** 7-14 sessions one session daily. Repeated cycles are necessary and there should be 7 to 10 days of break between them.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292), - headaches (of unknown origin) (131) - headaches (intoxication) (130).

**HERPES II 50.**

**BASIC CYCLE:** 7-14 sessions one session daily. Repeated cycles are necessary and there should be 7 to 10 days of break between them.

**Additional programs:** detox general (372) - drainage of the lymphatic

ic system (short) (376) - anti-oxidative, antistenocardia (292)

### 51. HERPES III

BASIC CYCLE: 7-14 sessions one session daily.

Repeated cycles are necessary and there should be 7 to 10 days of break between them.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - immune system (normalization) (230).

### 52. EPSTEIN-BARR VIRUS (EBV)

Cycle is long-lasting and comprehensive. 5-14 sessions one session a day with the obligatory repeated cycles are recommended. There should be a break of 5 to 7 days between the cycles.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - immune system (normalization) (230) - depending on the symptoms: pain general (126) - pharyngitis (195) - spleen (enlarged) (231) - liver enlargement (162).

### 53. CYTOMEGALOVIRUS

BASIC CYCLE: 7-14 sessions one session daily. During the repeated cycle sessions are conducted every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - immune system (normalization) (230).

### 54. PAPILOMA VIRUS

BASIC CYCLE: 10-14 days one session daily. Repeated cycle is recommended after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - immune system (normalization) (230).

**COXSACKIEVIRUS GENERAL 55.**

The program is used comprehensively. Conditions caused by this virus always start acutely which is why in the first days of the disease sessions should be conducted every two hours, day and night.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - emergency aid (especially in cases of toxic load) (377) - anti-inflammatory (304) - depending on the symptoms: pain general (126).

**ROTAVIRUS GENERAL 56.**

BASIC CYCLE: 2-3 days several sessions daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - anti-inflammatory (304) - depending on the symptoms: pain general (126).

**RETROVIRUS GENERAL 57.**

Sessions are long because members of the retrovirus family cause severe diseases.

BASIC CYCLE: 14 sessions one session a day and than every 5-7 days another 14 sessions. Another cycle should be long (use the program every other day for up to 6 months).

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (375) - immune system (normalization) (230) - anti-inflammatory (394) - emergency aid (especially in cases of toxic load) (377) - general inflammation (394) - depending on the symptoms: antiparasitic general (1) - pain general (126).

**RHINOVIRUS GENERAL 58.**

BASIC CYCLE: 10-14 days for the first 5 days two sessions daily, then one session. Break 5-7 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - emergency aid (especially in cases of toxic load) (377) - anti-inflammatory (304) - Beck's frequencies (398) - depending on the symptoms:

bronchitis (337) - pneumonia (340) - laryngitis with pain (198) - pain (depending on the location).

# PROTOZOA

## 59. PROTOZOA GENERAL

**BASIC CYCLE:** 7-10 sessions one session daily. Repeated cycle: after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - anti-oxidative, antisthenocardia (292).

## 60. AMOEBA DYSENTERIAE

If you are a carrier one session for 5-7 days. Repeated cycle: after 10 days.

**Additional programs:** detox (protozoa infections) (373), drainage of the lymphatic system (375).

## 61. LEISHMANIA GENERAL

**BASIC CYCLE:** for the first 7 days you run sessions every day at least twice a day, then 7 sessions one session a day. Depending on symptoms: 5-7 sessions every other day. Repeated cycle: after 3 days of break.

**Additional programs:** detox (protozoa infections) (373), drainage of the lymphatic system (short) (376) - immunostimulating (294).

## 62. LAMBLIA INTESTINALIS

**BASIC CYCLE:** 7-10 days one session daily. Repeated cycle after 5-7 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - normalizing intestines function (154) - normalizing liver function (161) - cholecystitis (163).

## 63. PLASMODIUM MALARIAE GENERAL

BASIC CYCLE: 14 days every day, then run sessions once per two/three days depending on the disease form.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - emergency aid (especially in cases of toxic load) (377) - anti-inflammatory (304) - spleen (enlarged) (231) - muscle cramps (247).

## TOXOPLASMOSIS GENERAL 64.

Cycle depends on the clinical symptoms of the disease and consists of two to five cycles.

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 7-10 days.

**Additional programs:** detox (protozoa infections) (373), drainage of the lymphatic system (short) (376) - immunostimulating (294).

## TRICHOMONAS GENERAL 65

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - urethritis (236) - adnexitis (172).

## TRYPANOSOMA 66.

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 7-10 days.

**Additional programs:** detox (protozoa infections) (373), drainage of the lymphatic system (short) (376) - immunostimulating (294).

# FUNGI

## 67. FUNGI GENERAL

The cycle is long, depends on the clinical symptoms of the disease and can last from 14 to 30 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - anti-oxidative, antisthenocardia (292).

## 68. ACTINOMYCETE

The cycle depends on the location and intensity of the process and can last from 10 to 14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - anti-oxidative, antisthenocardia (292) - Beck's frequencies (398).

## 69. ALTERNARIA

BASIC CYCLE: 14-21 days one session daily. Repeat the cycle after 7-14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antisthenocardia (292) - depending on the symptoms: bronchial asthma (338).

## 70. ASPERGILLUS GENERAL

The cycle depends on the clinical symptoms and can last from 14 to 21 days one session daily. Repeated cycle after 7-14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antisthenocardia (292) - immune system (normalization) (230) - Beck's frequencies (398) - lungs general (335).

## 71. GEOTRICHUM

The cycle depends on the clinical symptoms and can last from 10 to 14 sessions, one session daily. Repeated cycle after 7-14 days.



**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antisthenocardia (292) - immune system (normalization) (230) - Beck's frequencies (398).

## HISTOPLASMA 72.

The cycle depends on the clinical symptoms and can last from 10 to 14 sessions, one session daily. Repeated cycle after 7-14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - Beck's frequencies (398) - lungs general (335).

## CANDIDA GENERAL 73.

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230).

## CANDIDA ALBICANS 74.

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

## CANDIDA ROBUSTA 75.

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - me-

teorism (see Life Commander program) - female genital mycosis (273).

### 76. CANDIDA PARAPSILOSIS

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

### 77. CANDIDA STELATOIDEA

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

### 78. CANDIDA KRUSEI

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

### 79. CANDIDA GLABRATA

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic

ic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

### CANDIDA KEFYR 80.

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

### CANDIDA TROPICALIS 81.

The cycle depends on the clinical symptoms and can last from 7 to 14 sessions, one session daily. Another cycle after 7 to 14 days, must include drainage programs.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - colitis (156) - normalizing intestines function (154) - intestinal colic (157) - meteorism (see Life Commander program) - female genital mycosis (273).

### TRICHOSPORON 82.

**BASIC CYCLE:** 10-14 days one session daily. Repeated cycle after 7-10 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - hair loss (alopecia) (309).

### MALASSEZIA GENERAL 83.

**BASIC CYCLE:** 10-14 days one session daily. Repeated cycle after 7-10 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic

system (short) (376) - immune system (normalization) (230) - allergy (229).

### 84. MICROSPORUM GENERAL

Podstawowy cykl: short 3-5 sessions. Repeated after 10-14 days.

**Additional programs:** detox general (372) - healing (capillaries) (369).

### 85. NOCARDIA ASTEROIDES

Sessions are comprehensive and long.

BASIC CYCLE: 21 days one session daily, additional programs are necessary.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230).

### 86. SPOROTRICHUM

This disease is chronic and requires long-term and regular sessions.

BASIC CYCLE: repeated ten-day cycles with breaks of 5 to 7 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - anti-oxidative, antistenocardia (292) - skin general (310).

### 87. TRICHOPHYTON GENERAL

BASIC CYCLE: 10-14 sessions one session daily. Repeated cycle after 5-7 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - athlete's foot (312).

### 88. TRICHOPHYTON CONCENTRICUM

BASIC CYCLE: 10-14 sessions one session daily. Repeated cycle every 5-7 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - athlete's foot (312).

**TRICHOPHYTON MENTAGROPHYTES 89.**

BASIC CYCLE: 10-14 sessions one session daily. Repeated cycle every 5-7 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - athlete's foot (312).

**TRICHOPHYTON RUBRUM 90.**

BASIC CYCLE: 10-14 sessions one session daily. Repeated cycle every 5-7 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - athlete's foot (312).

**TRICHOPHYTON TONSURANS 91.**

BASIC CYCLE: 10-14 sessions one session daily. Repeated cycle every 5-7 days, depending on the symptoms. A preventive cycle: 2 to 3 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - athlete's foot (312).

**EPIDERMOPHYTON 92.**

BASIC CYCLE: 21 days one session daily. Another cycle after 7-14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - depending on the symptoms: tinea cruris (322).

**ROUNDWORMS****ROUNDWORMS GENERAL 93.**

BASIC CYCLE: 7-10 days, one session per day. Another cycle should be conducted after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247).

### 94. ANISAKIASIS

**BASIC CYCLE:** 7-10 days, one session per day. Another cycle should be conducted after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247).

### 95. HOOKWORM

**BASIC CYCLE:** 7-10 days, one session per day. Another cycle should be conducted after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230).

### 96. ASCARIS WORMS

**BASIC CYCLE:** 7-10 days, one session per day. Another cycle should be conducted after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247).

### 97. WHIPWORM

**BASIC CYCLE:** 7-10 days, one session per day. Another cycle should be conducted after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247) - conjunctivitis (330) - lymphoedema (221).

**WUCHERERIA BANCROFTI 98.**

Long-running cycle with repeated sessions. Recommended daily sessions for 21 days. Repeated cycle after 10-14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247) - conjunctivitis (330) - lymphoedema (221).

**DIROFILARIA 99.**

BASIC CYCLE: 7-10 days, one session per day. Another cycle should be conducted after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247) - conjunctivitis (330) - lymphoedema (221).

**CAPILLARIA 100.**

BASIC CYCLE: 7-10 days, one session per day. Another cycle is recommended after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230).

**THREADWORM 101.**

BASIC CYCLE: 7-10 days, one session per day. Another cycle is rec-

ommended after 10-14 days, with program run every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (54) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247).

### 102. OXYURIASIS

**BASIC CYCLE:** 33-5 days one in the morning and one in the evening. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161).

### 103. TRICHINOSIS

**BASIC CYCLE:** 7-10 days one session daily. Another cycle after 10-14 days every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247).

### 104. FILARIA GENERAL

**BASIC CYCLE:** 7-10 days one session daily. Another cycle after 10-14 days every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing liver function (161) - headaches (intoxication) (130) - immune system (normalization) (230) - muscle cramps (247).



# TAPEWORMS

## TAPEWORMS GENERAL 105.

BASIC CYCLE: 7-10 days, one session per day. Another cycle after 3-5 days every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing pancreas function (153).

## BROAD FISH TAPEWORM 106.

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing pancreas function (153).

## UNARMED TAPEWORM 107.

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing pancreas function (153).

## ARMED TAPEWORM 108.

BASIC CYCLE: 110-14 days one session daily. Repeated cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing pancreas function (153).

## DWARF MOUSE TAPEWORM 109.

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing

intestines function (154) - normalizing pancreas function (153).

### 110. DIPYLIDIUM CANINUM

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing pancreas function (153).

### 111. CYSTICERCOSIS

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: normalizing intestines function (154) - normalizing pancreas function (153).

### 112. HYDATID TAPEWORM GENERAL

Long-running cycle: 2-4 months one session daily. Before you begin you have to consult your attending physician.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - anti-inflammatory (304).

## FLUKES

### 113. FLUKES GENERAL

BASIC CYCLE: 10-14 days one session daily. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372), drainage of the lymphatic system (short) (376).

### 114. ONCHOCERCA

BASIC CYCLE: 14-21 days one session daily. Another cycle after 7-10 days, 14 sessions one session every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic

ic system (short) (376) - normalizing liver function (161) - immunostimulating (294) - depending on the symptoms: conjunctivitis (330) - lymphoedema (221).

### METAGONIMUS 115.

**BASIC CYCLE:** 14-21 days one session daily. Another cycle after 7-10 days, 14 sessions one session every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161) - immunostimulating (294).

### PARAGONIMUS 116.

**BASIC CYCLE:** 14-21 days one session daily. Another cycle after 7-10 days, 14 sessions one session every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161) - immunostimulating (294).

### SHEEP LIVER FLUKE 117.

**BASIC CYCLE:** 14-21 days one session daily. Another cycle after 7-10 days, 14 sessions one session every other day.

**Additional programs:** detox general (372) - normalizing intestines function (154).

### CHINESE LIVER FLUKE 118.

**BASIC CYCLE:** 7-10 days, one session per day. Another cycle 10 sessions every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161) - liver enlargement (163) - cholecystitis (163).

### OPISTHORCHIS VIVERRINI 119.

**BASIC CYCLE:** 14-21 days one session daily. Another cycle after 7-10 days, 14 sessions one session every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161) - liver enlargement (163) - cholecystitis (163).

### 120. SCHISTOSOMA GENERAL

**BASIC CYCLE:** 14-21 days one session daily. Another cycle after 7-10 days, 14 sessions one session every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161).

### 121. SCHISTOSOMA MANSONI

**BASIC CYCLE:** 21 days one session daily. Repeated cycle: after 14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) normalizing liver function (161) - normalizing intestines function (164) - immunostimulating (294).

### 122. BLOOD FLUKE

**BASIC CYCLE:** 21 days one session daily. Repeated cycle: after 14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) normalizing liver function (161) - normalizing intestines function (164) - immunostimulating (294).

## TICKS

### 123. TICKS GENERAL

**BASIC CYCLE:** 5-7 days one session daily. Repeated cycle: after 5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - Schumann waves (397) - anti-inflammatory (304).

### 124. DEMODEX FOLLICULORUM

**BASIC CYCLE:** 5-7 days one session daily. Repeated cycle: after 5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic

ic system (short) (376) - skin general (310) - Schumann waves (397)  
- anti-inflammatory (304).

## SARCOPTES SCABIEI 125.

BASIC CYCLE: 55-7 days one session daily. Repeated cycle: after 5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - soothing as an antipruritic (305).

## ANALGESIC

### PAIN GENERAL 126.

Analgesic program for all types of pain. This program can be used both in short cycles and for the entire period of the pain-causing disease.

**Additional programs:** detox general (372).

### COMPLEX PAIN 127.

The cycle depends on the underlying condition.

**Additional programs:** anti-inflammatory (304) - diastolic (307).

### SHARP PAIN 128.

Used according to the recommendations, program is not cyclical.

**Additional programs:** anti-inflammatory (304) - diastolic (307).

### HEADACHE GENERAL 129.

Does not require a cycle of sessions, use short cycles according to the recommendations.

**Additional programs:** detox general (372) - diastolic (307) - lymphogenic (302).

### HEADACHES (INTOXICATION) 130.

This program is used for all strains during the whole basic cycle for the

primary disease.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397).

### 131. HEADACHES (OF UNKNOWN ORIGIN)

Does not require a cycle of sessions. Use short cycles depending on the symptoms.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397).

### 132. HEADACHE (UROGENITAL)

This program is used for all types of strains during the whole cycle of sessions for primary disease.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397).

### 133. HEADACHES (FROM SPINE)

**BASIC CYCLE:** 3-5 days one session daily. You should absolutely use etiological program and a massage.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397).

### 134. MIGRAINE

Program is recommended for migraine attacks and in cases of cyclical migraines.

**BASIC CYCLE:** 7-10 days two session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - normalizing endocrine system function general (345).

### 135. BACKACHE

Program is used depending on the symptoms:

**BASIC CYCLE:** 7-10 days two session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - depending on the symptoms: lumbago (161).

**BACKACHE (SPASTIC) 136.**

BASIC CYCLE: 5-10 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - Beck's frequencies (398).

**ILIAC JOINT PAIN 137.**

BASIC CYCLE: 5-10 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372).

**KNEE PAIN 138.**

BASIC CYCLE: 5-10 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372).

**ELBOW PAIN 139.**

BASIC CYCLE: 5-10 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372).

**NECK PAIN 140.**

BASIC CYCLE: 5-10 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372).

**LUMBAGO 141.**

Program is used only as an emergency aid. You have to consult a doctor.

**Additional programs:** detox general (372).

## 142. PAIN WITH TRAUMA

Program is used depending on the symptoms.

BASIC CYCLE: 3-5 days two session daily.

**Additional programs:** detox general (372).

## 143. SHOULDER PAIN

BASIC CYCLE: 5-10 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372).

## 144. ABDOMINAL PAIN

Program is used only as an emergency aid. You have to consult a doctor immediately.

**Additional programs:** detox general (372).

## 145. PSYCHOSOMATIC PAINS

RECOMMENDED CYCLE: 5-10 days two session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - anti-oxidative, antis-tenocardia (292).

## 146. NEURALGIA (SHARP PAIN)

Program is used only as an emergency aid for all types of neuralgia.

BASIC CYCLE: 5-10 days two session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - anti-oxidative, antis-tenocardia (292).

# GASTROINTESTINAL SYSTEM

## 147. GASTRITIS

BASIC CYCLE: 7-14 days one session daily. Repeated cycle after 3-5 days.



**Additional programs:** detox general (372) - normalizing intestines function (154) - normalizing liver function (161) - depending on the symptoms: abdominal pain (144).

**HEARTBURN 148.**

Symptomatic program recommended for the entire period of the primary disease.

RECOMMENDED CYCLE: 3-5 days one session daily, after that depending on the symptoms.

**Additional programs:** detox general (372) - normalizing pancreas function (153) - normalizing liver function (161).

**NAUSEA 149.**

Symptomatic program recommended for the entire period of sessions for primary disease.

RECOMMENDED CYCLE: 3-5 days one session daily, after that depending on the symptoms.

**Additional programs:** detox general (372) - normalizing intestines function (154) - normalizing liver function (161) - normalizing pancreas function (153).

**FLATULENCES 150.**

Symptomatic program recommended for the entire period of sessions for primary disease.

RECOMMENDED CYCLE: 3-5 days one session daily, after that depending on the symptoms.

**Additional programs:** detox general (372) - normalizing intestines function (154) - normalizing liver function (161) - normalizing pancreas function (153).

**DUODENITIS 151.**

BASIC CYCLE: 5-14 days. 3-5 days one session daily, after that depending on the symptoms.

**Additional programs:** detox general (372) - normalizing intestines

function (154) - normalizing liver function (161).

### 152. DUODENAL ULCER

**BASIC CYCLE:** 10-14 days one session daily. Repeated cycle after 7-10 days. Preventive cycle 1-2 sessions a week to obtain a more permanent therapeutic effect.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - normalizing intestines function (154).

### 153. NORMALIZING PANCREAS FUNCTION

The program is used for many diseases.

**BASIC CYCLE:** 10-14 days one session daily. Repeated cycle: after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - normalizing intestines function (154) - normalizing liver function (161).

### 154. NORMALIZING INTESTINES FUNCTION

The program is used for many diseases.

**BASIC CYCLE:** 10-14 days one session daily. Repeated cycle: after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - normalizing liver function (161).

### 155. INTESTINES - GENERAL INFLAMMATION

Rehabilitation program recommended usually after diseases of the gastrointestinal system.

**BASIC CYCLE:** 5-7 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - normalizing pancreas function (153) - normalizing liver function (161).

**COLITIS 156.**

**BASIC CYCLE:** 7-10 days two session daily. Then one session a day for 10 days. Depending on the symptoms for 2 months one session every other day.

**Additional programs:** detox general (372) - intestines - general inflammation (155) - anti-inflammatory (304).

**INTESTINAL COLIC 157.**

Program classified as an emergency aid. Cycle lasts no more than two days couple sessions a day. You have to consult a doctor to determine the cause of the problem.

**Additional programs:** diastolic (307) - antispastic (297) - meteorism (see Life Commander program).

**CONSTIPATION 158.**

Program is used to treat symptoms or in combination with the basic program for intestinal disorders. Two cycles 10 days each and then depending on the symptoms up to a month every other day.

**Additional programs:** normalizing intestines function (154), normalizing pancreas function (153) - colitis (156).

**CROHN'S DISEASE 159.**

Long-running cycle. 30 daily sessions and then for a long time 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing pancreas function (153) - normalizing liver function (161) - general inflammation (394).

**HEMORRHOIDS 160.**

**BASIC CYCLE:** 7-14 days one session daily. Repeated cycle: after 10 days.

**Additional programs:** pain general (126) - lymphogenic (302) - diastolic (307) - normalizing intestines function (154).

## 161. NORMALIZING LIVER FUNCTION

BASIC CYCLE: 7-14 days one session daily. Repeat the cycle after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing intestines function (154) - depending on the symptoms: liver enlargement (162).

## 162. LIVER ENLARGEMENT

BASIC CYCLE: 7-14 days one session daily. Repeat the cycle after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing intestines function (154).

## 163. CHOLECYSTITIS

BASIC CYCLE: 7-14 days two session daily. Repeated cycle: after 10 days. Preventive cycle once or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - pain general (126) - normalizing intestines function (154).

## 164. CHRONIC CHOLECYSTITIS

BASIC CYCLE: 7-14 days two session daily. Repeated cycle: after 10 days. Preventive cycle once or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - pain general (126) - normalizing intestines function (154).

## 165. COLELITHIASIS

BASIC CYCLE: 7-14 days two session daily. Repeated cycle: after 10 days. Preventive cycle once or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161) - Schumann waves (397).

## HEPATITIS GENERAL 166.

**Pattern for alcoholic hepatitis:** 10-14 sessions one session daily. Sessions with the repeated cycles. Repeated cycle: after 10 days.

**Hepatitis with portal vein thrombosis:** 14-21 sessions one session daily. Duration of individual cycles depends on the primary disease that caused the portal vein thrombosis.

**Hepatitis caused by drugs:** 7-14 sessions one sessions a day depending on the severity and duration of the disease. Cycle has to be repeated 2-3 times using the program every other day.

**Hepatitis after autoimmune disease:** from 14 days to 3 months one session a day, then use the program for a long time 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - diastolic (307) - liver enlargement (162) - normalizing liver function - emergency aid (especially in cases of toxic load) (377) - immune system (normalization) (230) - energy and vitality (382) - depending on the symptoms: abdominal pain (144).

## HIATAL HERNIA 167.

Used in cases of hiatal hernia in cycles of 7-10 days twice a month for a long time.

**Additional programs:** according to the symptoms.

## FEMALE GENITAL SYSTEM

## REGULATION OF FEMALE GENITAL SYSTEM GENERAL 168.

Program is used comprehensively and depends on the primary disease.

**RECOMMENDED CYCLE:** 7-14 days once a day and then 1-2 times a week for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

## REGULATING MENSTRUAL CYCLE GENERAL 169.

Program is used comprehensively and depends on the primary disease.

RECOMMENDED CYCLE: 7-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - regulation of female genital system general (168).

### 170. OVARIES GENERAL

Program is used comprehensively and depends on the primary disease.

RECOMMENDED CYCLE: 7-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168).

### 171. NO HORMONE BALANCE

Program is used comprehensively and depends on the primary disease.

RECOMMENDED CYCLE: 7-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - regulation of female genital system general (168).

### 172. ADNEXITIS

Program is used comprehensively and depends on the primary disease.

RECOMMENDED CYCLE: 7-14 days one session daily. In case of aggravation 3-5 days 2-3 sessions daily, a preventive cycle one session every three days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - anti-inflammatory (304).

### 173. OVARIAN CYSTS

RECOMMENDED CYCLE: 7-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168).

**CERVICAL EROSION** 174.

**BASIC CYCLE:** 14 days two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - anti-inflammatory (304).

**CERVICAL POLYP** 175.

**BASIC CYCLE:** 14 days two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - anti-inflammatory (304).

**ENDOMETRIOSIS** 176.

Long-running sessions.

**BASIC CYCLE:** 14 days two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - regulating menstrual cycle general (169).

**FIBROMA** 177.

Long-running sessions. 14 days two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for three months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - diastolic (307).

**UTERINE MYOMA** 178.

Long-running sessions. 14 days two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for three months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - diastolic (307).

### 179. VAGINAL MUCOSITIS

**BASIC CYCLE:** 10-14 sessions one session daily. Repeated cycle after 7-10 days. A preventive cycle one session a day every three days for a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - diastolic (307).

### 180. DYSMENORRHOEA

**RECOMMENDED CYCLE:** 2-3 month of using the program only during period.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - diastolic (307).

### 181. NO MENSTRUATION

**RECOMMENDED CYCLE:** 2-3 months of using the program twice a week at most.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - regulating menstrual cycle general (169).

### 182. FEMALE INFERTILITY

The program is used for treating infertility.

**RECOMMENDED CYCLE:** 10 days one session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - regulating menstrual cycle general (169) - energy and vitality (382).



## MASTOPATIA 183.

The program is used for mastopatia.

RECOMMENDED CYCLE: 14-21 days one session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - regulation of female genital system general (168) - regulating menstrual cycle general (169).

## MENOPAUSE 184.

Program can be used as an independent therapy or in combination with programs for specific symptoms.

CYCLE: depends on the course of the menopause and its symptoms.

**Additional programs:** Schumann waves (397), drainage of the lymphatic system (short) (376).

## MALE GENITAL SYSTEM

## REGULATION OF MALE GENITAL SYSTEM GENERAL 185.

Program is used in cases of disorders of male genital system.

RECOMMENDED CYCLE: 7-10 days one session daily. Another cycle after 14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

## NO HORMONE BALANCE 186.

Program is used comprehensively and depends on the primary disease.

RECOMMENDED CYCLE: 7-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lym-

phatic system (short) (376) - Schumann waves (397) - regulation of male genital system general (185).

### 187. PROSTATITIS

**BASIC CYCLE:** 10-14 days one session daily. Repeated cycle after 7-10 days. You should conduct at least 3 cycles.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - regulation of male genital system general (185).

### 188. PROSTATE ADENOMA

**BASIC CYCLE:** 10-14 sessions two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - regulation of male genital system general (185).

### 189. PROSTATIC HYPERPLASIA

**BASIC CYCLE:** 10-14 sessions two session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - regulation of male genital system general (185).

### 190. SEXUAL ACTIVITY (IMPOTENCE)

**RECOMMENDED CYCLE:** 14 days one session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - regulation of male genital system general (185).

## MALE INFERTILITY 191.

The program is used for treating infertility.

RECOMMENDED CYCLE: 14 days one session daily. Repeated cycle after 7-10 days. A preventive cycle one session every three days for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - regulation of male genital system general (185) - Beck's frequencies (398).

## SEMINAL VESICULITIS 192.

Program is used comprehensively and depends on the primary disease.

RECOMMENDED CYCLE: 7-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - regulation of male genital system general (185) - no hormone balance (186).

## LARYNGOLOGY

## THROAT (SHORT GENERAL SESSION) 193.

General program. Used for laryngological disorders.

BASIC CYCLE: 4-5 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

## TONSILLAR HYPERTROPHY 194.

Program for comprehensive sessions.

RECOMMENDED CYCLE: 5-7 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

### 195. TONSILITIS

BASIC CYCLE: 4-5 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

### 196. PHARYNGITIS

BASIC CYCLE: 4-5 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

### 197. TONSILLITIS

BASIC CYCLE: 4-5 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

### 198. LARYNGITIS WITH PAIN

BASIC CYCLE: 5-6 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

### 199. NOSE AND NASAL SINUSES GENERAL

Program performed well in cases of chronic diseases in permanent remission.

BASIC CYCLE: 5-7 days two sessions daily, then one session daily until you feel well.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-inflammatory (304) - immunostimulating (294).

**NOSE AND SINUSES (STRENGTHENED)****200.**

BASIC CYCLE: 5-7 days two sessions daily, then one session daily until you feel well.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-inflammatory (304) - immunostimulating (294).

**ENLARGED ADENOIDS****201.**

BASIC CYCLE: 5-7 days two sessions daily, then one session daily for a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-inflammatory (304) - immunostimulating (294).

**RHINITIS, STUFFY NOSE****202.**

BASIC CYCLE: 4-5 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-inflammatory (304) - immunostimulating (294).

**RHINITIS****203.**

BASIC CYCLE: 4-5 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-inflammatory (304) - immunostimulating (294).

**ALLERGIC RHINITIS****204.**

BASIC CYCLE: 3-5 days two session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - allergy (229) - regulating work of circulatory system (223) - dysosmia (206).

**SINUSITIS****205.**

BASIC CYCLE: 3-5 days two sessions daily. Depending on the symptoms use etiological programs.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - allergy (229) - regulating work of circulatory system (223) - rhinitis, stuffy nose (202) - lymphoedema (221).

### 206. DYSOSMIA

BASIC CYCLE: 5-7 days one session daily. After that two sessions a week for two months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - healing center (264).

### 207. EAR GENERAL

Use for vertigo, ringing in ears, and worsening of hearing.

BASIC CYCLE: 10-14 days one session daily. After that two sessions a week for two months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - depending on the symptoms: hypertension (217).

### 208. OTITIS MEDIA

BASIC CYCLE: 3-5 days 2-3 sessions daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - general inflammation (394).

### 209. OTITIS INTERNA

BASIC CYCLE: 5-6 sessions a day for 2-3 days with at least 1 hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294) - general inflammation (394).

### 210. HYPOACUSIA

Long-running cycle from 14 days to two months depending on the cause of the syndrome. Run one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294).

**RINGING IN EARS 211.**

Cycle depends on the primary disease that caused changes in the sense of balance and hearing apparatus. Recommended cycle from 14 days to two months depending on the cause of the given syndrome. Run one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - depending on the symptoms: hypertension (217).

**MASTOIDITIS 212.**

An auxiliary method for mastoiditis. Cycle 7-10 sessions a day, then every other day until the disappearance of clinical symptoms.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (375) - ear inflammation - depending on the symptoms: anti-inflammatory (304).

**LYMPHATIC SYSTEM**

**NORMALIZING HEART FUNCTION 213.**

Program is used as comprehensive for many cardiovascular system disorders.

CYCLE from several days to a month. Run sessions 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: arterial hypertension (217) - coronary arterial disease (215).

**CARDIAC FAILURE 214.**

BASIC CYCLE: 10-14 days one session daily. Then for three months one session 2-3 times a week.

**Additional programs:** drainage of the lymphatic system (short) (376) -

Beck's frequencies (398) - normalizing heart function (213) - depending on the symptoms: arterial hypertension (217) - coronary arteriak disease (215).

### 215. CORONARY ARTERIAL DISEASE

**BASIC CYCLE:** 10-14 days one session daily. Then for three months one session 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398).

### 216. ACHYCARDIA

Program does not require cyclical usage. Used to treat the symptoms.

**Additional programs:** drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - normalizing heart function (213).

### 217. ARTERIAL HYPERTENSION

Program can be used with allopathic products and gradually replace drugs (by lowering the dosage of primary medicines, under doctor's observation) as well as an individual program for the first symptoms of hypertension.

**BASIC CYCLE:** 5-7 days one session a day, then every other day for 2-3 months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - normalizing heart function (213).

### 218. ARTERIAL HYPOTENSION

**BASIC CYCLE:** 5-7 days one session a day, then every other day for 2-3 months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - normalizing heart function (213).



**VARICOSE VEINS 219.**

Long-running sessions.

BASIC CYCLE: 10-14 days one session daily. Repeated cycle: after 10 days. A preventive cycle one session twice a week for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - depending on the symptoms: pain general (126).

**THROMBOPHLEBITIS 220.**

Long-running sessions.

BASIC CYCLE: 10-14 days one session daily.

REPEATED CYCLE: after 10 days. A preventive cycle one session twice a week for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - varicose veins (219).

**LYMPHOEDEMA 221.**

Program for comprehensive cycles for many disorders.

**Additional programs:** detox general (372) - Beck's frequencies (398) - restoring water-salt metabolism (388).

**ENDOCARDITIS 222.**

Must be combined with the primary program! Two cycles for 5 days with 5-day break and then 5 sessions every other day.

**Additional programs:** normalizing heart function (213).

**REGULATING WORK OF CIRCULATORY SYSTEM 223.**

7 sessions every day, 7 sessions every other day, then up to three weeks twice a week.

**Additional programs:** normalizing heart function (213).

**CLOT 224.**

Program is used as part of the comprehensive session. Three cycles for five sessions with breaks 3 to 5 days. Then up to a month twice a week.

**Additional program:** normalizing circulation - coagulation according to the symptoms.

## CIRCULATORY SYSTEM

### 225. NORMALIZING ERYTHROPOIESIS

Used for anemias of various origins. Three cycles for 5-7 days with 3-day break.

**Additional programs:** spleen (enlarged) (231).

### 226. NORMALIZING LEUCOPOIESIS

Used for immunodeficiency to normalize white cells image. Three cycles for 5-7 days with 3-day break.

**Additional programs:** thymus (balance) (232) - spleen (enlarged) (231).

### 227. NORMALIZING PRODUCTION OF HEMOGLOBIN

Used for anemias of various origins. 3-5 cycles for 5-7 days with 3-day break.

**Additional programs:** spleen (enlarged) (231).

### 228. BLOOD CLEANSE

Used for infections with toxins, bacteria. Cycle 10-14 days every day.

**Additional programs:** drainage of the lymphatic system (375) - normalizing kidney function (233).

## IMMUNE SYSTEM

### 229. ALLERGY

Cycle depends on the symptoms of the allergy. Program is recommended as an auxiliary.

**Additional programs:** detox general (372) - drainage of the lymphatic sys-

tem (short) (376) - anti-oxidative, antistenocardia (292) - Beck's frequencies (398) - immune system (normalization) (230).

### IMMUNE SYSTEM (NORMALIZATION)

230.

The preventive cycle from 3 to 5 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292) - Beck's frequencies (398).

### PLEEN (ENLARGED)

231.

BASIC CYCLE: 10-14 sessions 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292) - Beck's frequencies (398) - immune system (normalization) (230).

### THYMUS (BALANCE)

232.

Program is used as auxiliary.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

## UROLOGY

### NORMALIZING KIDNEY FUNCTION

233.

Program for comprehensive session.

BASIC CYCLE: 5-7 days one session daily. After that a preventive cycle of 1 to 2 sessions a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - immune system (normalization) (230) - depending on the symptoms: pain general (126).

### URINARY TRACT INFECTIONS

234.

Sessions depend on the primary disease.

RECOMMENDED CYCLE: 10-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Beck's frequencies (398) - immune system (normalization) (230).

### 235. NEPHRITIS

Sessions depend on the primary disease. RECOMMENDED CYCLE: 10-14 days one session daily. Should be combined with symptomatic programs.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - normalizing kidney function (233).

### 236. URETHRITIS

Sessions depend on the primary disease.

RECOMMENDED CYCLE: 10-14 days one session daily. Should be combined with symptomatic programs.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - normalizing kidney function (233).

### 237. SAND IN THE URINARY BLADDER

RECOMMENDED CYCLE: 10-14 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - normalizing kidney function (233).

### 238. KIDNEY STONES

RECOMMENDED CYCLE: 10-14 days one session daily. You have to consult a doctor!

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - normalizing kidney function (233).

## URINARY INCONTINENCE 239.

5-10 days one session daily. After that two sessions a week for a long time.

**Additional programs:** nervous system general (250) - age-related fatigue (390) - healing center (264).

## MUSCULOSKELETAL SYSTEM

## ARTHRITIS 240.

Program is used for traumatic inflammations.

BASIC CYCLE: 10-14 days. For first 5 days daily, then twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304).

## RHEUMATISM 241.

Comprehensive program used for attacks of rheumatism and during permanent remission.

BASIC CYCLE: 14-20 days one session daily. A preventive cycle: once a week for two months.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - normalizing heart function (213).

## OSTEOPOROSIS 242.

Comprehensive program used for attacks of rheumatism and during permanent remission.

BASIC CYCLE: 14-20 days one session daily. A preventive cycle: once a week for two months.

**Additional programs:** parathyroids, normalizing calcium metabolism (361) - normalizing endocrine system function general (345).

## ANKYLOSING SPONDYLITIS 243.

Long-running, comprehensive sessions.

BASIC CYCLE: 10-14 days one session daily. After that one session

twice a week until positive changes are obtained.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - immunostimulating (294).

### 244. GOUT

Long-running, comprehensive sessions. Program acts on long-lasting uratic deposits in joints.

**BASIC CYCLE:** 10-14 days two sessions daily. After that use the program twice a week for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - general inflammation (394) - antipodagric (293) - normalizing kidney function (233) - immune system (normalization) (230) - depending on the symptoms: sharp pain (128) - pain general (126) - elbow pain (139).

### 245. INFLAMMATION OF THE JOINT CAPSULE

**BASIC CYCLE:** 5-10 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304).

### 246. CROSSWISE AND LUMBAR NEURALGIA

**BASIC CYCLE:** 5-7 days twice a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - muscle cramps (247) - pain general (126).

### 247. MUSCLE CRAMPS

Program for comprehensive sessions. Cycle depends on the primary disease and can last from 3 to 14 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304).

## MUSCULAR DYSTROPHY

248.

Long-running, comprehensive sessions.

BASIC CYCLE: 14-20 days one session daily. A preventive cycle once a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - antispastic (297) - anti-oxidative, antistenocardia (292).

## SPURS

249.

The disease has not external symptoms but can cause great pain. BASIC CYCLE: 10-14 days every day then once to twice a week until a complete therapeutic effect.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - crosswise and lumbar neuralgia (246) - pain general (126).

## NEUROLOGY

## NERVOUS SYSTEM GENERAL

250.

Cycle depends on the primary disease and can last from 5 to 30 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

## CHRONIC NEURALGIA GENERAL

251.

Program is used depending on the symptoms: short cycles of 3-5 days.

**Additional programs:** detox general (372) - diastolic (307) - lymphogenic (302).

## INTERCOSTAL NEURALGIA

252

BASIC CYCLE: 5-7 days twice a day.

**Additional programs:** detox general (372) - anti-inflammatory (304) - lymphogenic (302) - sharp pain (128) - neuralgia (146).

**253. TRIGEMINUS PAIN**

BASIC CYCLE: 5-7 days twice a day. Repeated cycle depending on the symptoms.

**Additional programs:** detox general (372) - anti-inflammatory (304) - lymphogenic (302) - sharp pain (128) - neuralgia (146).

**254. STIFFENING OF LIMBS**

BASIC CYCLE: 5-7 days twice a day. The duration depends on the underlying condition that caused stiffening.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375).

**255. ISCHIADIC NERVE**

BASIC CYCLE: 5-7 days twice a day. Repeated cycle depending on the symptoms.

**Additional programs:** detox general (372) - anti-inflammatory (304) - lymphogenic (302) - sharp pain (128) - neuralgia (146).

**256. CRAMPS**

The cycle depends on the underlying condition. Recommended cycle of 3-15 sessions every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375).

**257. CEREBRAL PALSY**

Recovery cycle is long. Use the program twice a week at most.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375).

**258. ATAXIA**

Recovery cycle is long. Use the program twice a week at most.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375).



**MULTIPLE SCLEROSIS 259.**

Long-running, comprehensive sessions. Use the program every other day for a month. You have to consult a doctor.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - hypophysis balance (348) - immune system (normalization) (230).

**PARKINSON'S DISEASE 260.**

Long-running, comprehensive sessions every other day for a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - hypophysis balance (348) - immune system (normalization) (230) - normalizing endocrine system function general (345).

**URINARY INCONTINENCE 261.**

**BASIC CYCLE:** children once a day for 10 days, adults once or twice a day for 10-14 days. In order to obtain a complete therapeutic effect use the program as a prevention twice a week.

**Additional programs:** nervous system general (250) - cooling down (380) - Schumann waves (397).

**SPEECH CENTER 262.**

**BASIC CYCLE:** 220 sessions every other day. Then 4-6 months twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - cooling down (380) - intellect and clarity of thought (383).

**HEARING CENTER 263.**

Recovery program.

**BASIC CYCLE:** 20 sessions every other day. Then 4-6 months twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Schumann waves (397) - depending on the

symptoms: hypoacusia (210).

### 264. HEALING CENTER

Recovery program.

BASIC CYCLE: 5-10 days one session a day.

**Additional programs:** Schumann waves (397), regeneration of cells (265) - immunostimulating (294).

### 265. REGENERATION OF CELLS

Recovery program.

BASIC CYCLE: 5-10 days one session a day.

**Additional programs:** Schumann waves (397), healing center (264) - immunostimulating (294).

### 266. SEXUAL CENTER

Recovery program. 5-10 days one session a day.

**Additional programs:** Schumann waves (397), regulation of female genital system general (168).

### 267. PARAESTHESIA

Recommended in combination with the primary program. First cycle 10 days, then long-running (up to 3-4 months) twice a week.

**Additional programs:** nervous system general (250) - diastolic (307).

### 268. INSOMNIA

Program is used to fight symptoms or in case of the nervous system. Two cycles 10 days each with 5-day break, then two cycles every other day.

**Additional programs:** nervous system general (250) - Schumann waves (397).

### 269. HALLUCINATIONS

Recommended in combination with the program for primary condition. First cycle 10 days, break of 5 days, and long-running sessions (up

to 3-4 months) every other day.

**Additional programs:** nervous system general (250) - focusing (381).

## CEREBRAL STROKE 270.

Used in the rehabilitation after strokes, in cases of cerebral circulation disorders.

**BASIC CYCLE:** 10-14 days every day, 5 days of break. After that three 5-day cycles with 3-day breaks and then long-running (up to 3-4 months) every other day.

**Additional programs:** regulating work of circulatory system (223) - atherosclerosis (296) - regeneration of cells (265) - center of speech (262) - healing center (264).

## STUTTERING 271.

Used as independent sessions to fight symptoms or in case of a nervous system. 21 days every day then long-running (4-6 months) every other day.

**Additional programs:** nervous system general (250) - speech center (262) - healing center (264).

# INFECTIONS

## POINTED CONDYLOMA 272.

**BASIC CYCLE:** several sessions a day for 3-7 days with at least 2-hour breaks between sessions. Then 5-7 days one session daily. Repeat the cycle after 10 days one session every 5-7 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - emergency aid (especially in cases of toxic load) (377) - anti-inflammatory (304) - immune system (normalization) (230).

### 273. FEMALE GENITAL MYCOSIS

BASIC CYCLE: 14-21 days one session a day. Repeated cycle: after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - anti-inflammatory (304) - immune system (normalization) (230).

### 274. HEPATITIS TYPE A

BASIC CYCLE: 110-14 sessions one session daily. Repeated cycle: after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - diastolic (307) - liver enlargement (162) - normalizing liver function (161) - immune system (normalization) (230) - energy and vitality (382).

### 275. HEPATITIS TYPE B

BASIC CYCLE: 10-14 sessions one session daily. Repeated cycle: after 10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - liver enlargement (162) - normalizing liver function (161) - anti-inflammatory (304) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230).

### 276. HEPATITIS TYPE C

Sessions are comprehensive and long.

BASIC CYCLE: 14-20 days one session a day. Repeated cycle: after 10 days. In order to achieve an effect at least 5 repeated cycles are required.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - liver enlargement (162) - normalizing liver function (161) - anti-inflammatory (304) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230) - energy and vitality (382).

**WHOOPING COUGH 277.**

**BASIC CYCLE:** 14-21 days one session a day. After that every second day until full recovery.

**Additional programs:** bordetella (4) - detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230).

**TUBERCULOSIS 278.**

Program is used as a supplement to the primary process in the chronic disease. Cycle depends on the severity, location, and duration of the disease.

**BASIC CYCLE:** 14 to 21 days of daily usage with repeated cycles.

Additional programs: detox (bacterial infection, tuberculosis) (374) - Koch's bacillus (*Mycobacterium tuberculosis*) (17) - immunostimulating (294) - anti-inflammatory (304) - diastolic (307).

**TUBERCULOSIS (SHORT SESSION) 279.**

Program is used for chronic illness and tuberculinic curve.

**BASIC CYCLE:** 7-14 sessions 2 times a week.

**Additional programs:** detox (bacterial infection, tuberculosis) (374) - Koch's bacillus (*Mycobacterium tuberculosis*) (17) - immunostimulating (294) - anti-inflammatory (304) - diastolic (307).

**SYPHILIS 280.**

Cycle consists of several courses depending on the stage of development of the disease.

**BASIC CYCLE:** 10-14 days one session a day. Repeated cycle after 3-5 days. You can run a preventive cycle two weeks after the primary 10 sessions every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375).

**GONORRHOEA 281.**

Cycle consists of several courses depending on the stage of development of the disease.

**BASIC CYCLE:** 10-14 days one session a day. Repeat the cycle after 3-5 days. You can run a preventive cycle two weeks after the 14 days, 10 sessions every other day.

**Additional programs:** detox general (372) - gonorrhoea (281) - anti-inflammatory (304) - urinary tract infections (234).

### 282. SHINGLES

**BASIC CYCLE:** 7-14 days, a number of sessions depends on the severity of the illness and the area affected.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - cooling down (380) - general inflammation (394) - immune system (normalization) (230) - pain general (126) - anti-oxidative, antisthenocardia (292).

### 283. SCARLET FEVER

**BASIC CYCLE:** 3-5 sessions daily in the first days of the illness, then 10-14 days once a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immunostimulating (294) - normalizing kidney function (233) - depending on the symptoms: skin general (310).

### 284. POLIOMYELITIS

Long-running sessions with compulsory breaks of 10-14 days.

**BASIC CYCLE:** 10-14 days once a day, then one session every other day 10-14 sessions.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - diastolic (307) - antispastic (297).

### 285. SCABIES

Cycle of 14 days in combination with the primary program.

**Additional programs:** detox general (372) - skin general (310).

**BOTULISM 286.**

Cycle of 14 days every day then for a month every other day, has to be in combination with the primary program.

**Additional programs:** emergency aid (especially in cases of toxic load) (377) - detox (bacterial infection, tuberculosis) (374) - drainage of the lymphatic system (375) - nervous system general (250).

**TEETH****STOMATOLOGY GENERAL 287.**

The program is used for all stomatologic problems. The cycle depends on the underlying condition. Recommended cycle 7-10 days one session daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230) - anti-inflammatory (304).

**BAD BREATH 288.**

The program is used for bad breath.

**BASIC CYCLE:** 10-14 days one session daily. Another cycle after 5-7 days. It must be used with additional programs.

**Additional programs:** detox general (372) - detox (bacterial infection, tuberculosis) (374) - normalizing liver function (161) - normalizing intestines function (164) - normalizing pancreas function (153).

**GINGIVITIS 289.**

The program is used for gingivitis.

**BASIC CYCLE:** 10-14 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - stomatology general (287) - facial paralysis (290).

## 290. FACIAL PARALYSIS

The program is used for all stomatologic problems. The cycle depends on the underlying condition.

RECOMMENDED CYCLE: 10-14 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - stomatology general (287) - depending on the symptoms: caries (291).

## 291. CARIES

Program aimed at removing the pathological process.

BASIC CYCLE: 7-10 days one session a day. You should visit a stomatologist.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: sharp pain (128).

# PHYSIOLOGICAL EFFECTS

## 292. ANTI-OXIDATIVE, ANTISTENOCARDIA

The program is used for many diseases.

BASIC CYCLE: 7-10 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: sharp pain (128).

## 293. ANTIPODAGRIC

The program is used for gout.

BASIC CYCLE: 10-14 days once a day, then for a long time 2-3 sessions a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - depending on the symptoms: general inflammation (394).



**IMMUNOSTIMULATING 294.**

Program is used in combination with other programs. Preventive cycle 5-7 days once a day.

**Additional programs:** detox general (372).

**ANTIRHEUMATIC 295.**

During an aggravation a cycle of 10-14 days once a day, then every other day for a month to two months.

**Additional programs:** streptococcus general (21) - detox general (372) - drainage of the lymphatic system (short) (376) - anti-inflammatory (304).

**ANTISCLEROSIS 296.**

Program for prevention and atherosclerosis. Basic cycle 10-14 days one session a day. A preventive cycle twice a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing heart function (213) - normalizing intestines function (154).

**ANTISPASTIC 297.**

Program is used for relaxation of smooth muscles in internal organs.

BASIC CYCLE: 3-5 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing endocrine system function general (345) - normalizing intestines function (154).

**DECREASING BLOOD SUGAR LEVELS 298.**

Recommended in case of diabetes.

BASIC CYCLE: 7-10 days one session a day.

**Additional programs:** detox general (372).

### 299. INCREASING BLOOD GLUCOSE LEVELS

Auxiliary program for the primary illness causing hypoglycemia.

**Additional programs:** detox general (372) - pancreatic (303).

### 300. NEPHROGENIC

Program used in case of urinary system diseases.

BASIC CYCLE: 7-10 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing kidney function (233).

### 301. DIURETIC

Program is recommended for fighting symptoms, no more than 3 days one session a day.

**Additional programs:** detox general (372).

### 302. LYMPHOGENIC

Program aimed at improving lymphodynamics. Used for many disorders.

BASIC CYCLE: 7-10 days one session a day.

**Additional programs:** detox general (372).

### 303. PANCREATIC

Cycle depends on the primary disease and can last from 7 to 21 days.

### 304. ANTI-INFLAMMATORY

Auxiliary program combined with the program for primary disease.

**Additional programs:** detox general (372).

### 305. CALMING

Program is recommended in case of reactive conditions and in combination with the primary disease.

**Additional programs:** detox general (372).

**PSYCHOSTIMULATING 306.**

Program is recommended in case of reactive conditions and in combination with the primary disease.

**Additional programs:** detox general (372).

**DIASTOLIC 307.**

Program is recommended in case of reactive conditions and in combination with the primary disease. Can be recommended as the „emergency aid (especially in cases of toxic load) (377)“ program.

**Additional programs:** detox general (372).

**FAST BONE FRACTURE HEALING 308.**

Recovery program. Pattern: for the first 5-7 days once a day, after that twice a day for 20 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing calcium metabolism (361) - depending on the symptoms: pain with trauma (142).

**DERMATOLOGY, COSMETOLOGY****HAIR LOSS (ALOPECIA) 309.**

Program for comprehensive sessions for pathological hair loss.

BASIC CYCLE: 30 days once a day, then for a long time 2-3 sessions a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - hair growth (326) - nervous system general (250) - depending on the symptoms: no hormone balance (171).

**SKIN GENERAL 310.**

BASIC CYCLE: 7-14 days one session daily. Another cycle depends on the primary disease. Might be long-running.

**Additional programs:** detox general (372) - drainage of the lymphat-

ic system (short) (376) - depending on the symptoms: no hormone balance (171).

### 311. ACNE

The program is used comprehensively.

BASIC CYCLE: 7-14 days one session a day. Another cycle: 2-3 times a week for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230) - cysticerci of various kinds (327).

### 312. ATHLETE'S FOOT

Program for athlete's foot.

BASIC CYCLE: 10-14 days one session a day. A preventive cycle once or twice a week for a longer period of time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - mycosis - skin general (310) - immune system (normalization) (230) - depending on the symptoms: tinea cruris (322).

### 313. BEDSORES

Program stimulating regeneration of tissue in cases of bedsores. Basic cycle once a day for a long period of time.

**Additional programs:** detox general (372) - general inflammation (369) - immune system (normalization) (230) - regeneration of cells (265).

### 314. BLISTERS EVERYWHERE

Program used for blisters of the small surface area.

BASIC CYCLE: 3-7 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - healing (capillaries) (369).

### 315. BOIL

BASIC CYCLE: 3-7 days one session a day. Repeat the cycle after 3-5 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - Staphylococcus aureus (27).

### BURNS 316.

The program is used for burns. The cycle depends on the level of damage.

RECOMMENDED CYCLE: 3-5 days twice a day and then 10-14 days once a day.

**Additional programs:** drainage of the lymphatic system (short) (376) - pain general (126) - inflammation general (394) - healing (capillaries) (369) - immune system (normalization) (230) - regeneration of cells (265) - scarring (external and internal scars and adhesions) (366) - trauma (363).

### ECZEMA 317.

BASIC CYCLE: 14-21 days one session a day. Another cycle after a month.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - inflammation general (394) - healing (capillaries) (369) - skin general (310) - anti-oxidative, antisthenocardia (292) - nervous system general (250).

### PSORIASIS 318.

Cycle depends on the stage, area of the wounded surface, and occurrence of the secondary infection.

BASIC CYCLE: 14-21 days one session a day. Another cycle twice a week for a long time.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - healing (capillaries) (369) - skin general (310) - normalizing intestines function (154) - normalizing liver function (161).

### 319. ERYSIPELAS

BASIC CYCLE: 4-21 days one session a day. A preventive cycle once a week for a longer period of time.

**Additional programs:** streptococcus general (21) - detox general (372) - drainage of the lymphatic system (short) (376) - inflammation general (394).

### 320. HIVES

The program is used for acute stages.

BASIC CYCLE: 1-2 days, there should be a break of 2-3 hours between sessions.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - allergy (229) - immune system (normalization) (230).

### 321. WARTS OF MOST KINDS

Program is used for common, flap, seborrheic, and venereal warts.

BASIC CYCLE: 7-14 days one session a day. Repeated cycle after 7-10 days.

**Additional programs:** drainage of the lymphatic system (short) (376).

### 322. TINEA CRURIS

BASIC CYCLE: 21 days of using the program daily, after that a break 10-14 days and repeat the cycle 5-7 days using the program every other day or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - fungi general (67) - immune system (normalization) (230).

### 323. ATOPIC DERMATITIS

The program is used for dermatitis. Long-running sessions that have to be combined with other programs.

BASIC CYCLE: 10-14 days once a day, then for 2-3 months every

other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - skin general (310) - normalizing adrenal function (346) - nervous system general (250) - depression general (379) - depending on the symptoms: diabetes, hyperglycaemia (349).

## HYPERHIDROSIS 324.

Program action is aimed at lowering the intensity of uncontrolled sweating.

BASIC CYCLE: 10-14 days one session a day. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - skin general (310) - no hormone balance (171).

## HAIR LOSS 325.

Program is used for hair loss and thinning.

BASIC CYCLE: several cycles of 30 days once a day with 10-14-day break.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - hair growth (326) - no hormone balance (171) - nervous system general (250).

## HAIR GROWTH 326.

Program speeds up hair growth.

BASIC CYCLE: 14-20 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230) - no hormone balance (171).

## CYSTICERCI OF VARIOUS KINDS 327.

The program is used for cysticerci of various kinds.

BASIC CYCLE: 10-14 days one session a day. Repeated cycle after 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - immune system (normalization) (230).

# OPHTHALMOLOGY

## 328. EYES GENERAL

Program is used comprehensively for organs of vision. It is recommended for the entire period of the primary disease.

BASIC CYCLE: one time, up to 30 days one session a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230).

## 329. SIGHT IMPROVEMENT

General program. Used for organs of vision.

BASIC CYCLE: long-running until the therapeutic effect is obtained. Process depends on the patient's age and secondary diseases.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230).

## 330. CONJUNCTIVITIS

Acute conjunctivitis (330): 2-3 sessions a day for 1-3 days with at least 2-hour breaks. Allergic conjunctivitis (330): 3-5 days once a day in combination with the „Allergy (229)“ program.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - eyes general (328) - depending on the symptoms: allergy (229).

## 331. STY

Program for an acute sycosis of eyelash.

BASIC CYCLE: Couple sessions a day for 1-3 days with at least 2-hour breaks.

**Additional programs:** drainage of the lymphatic system (short) (376), staphylococcus + streptococcus (30).



**CATARACT GENERAL 332.**

The program is used comprehensively for cataract.

BASIC CYCLE: 21 days once a day, then for a long time twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - eyes general (328).

**MACULAR DEGENERATION 333.**

Program is used for maculopathy.

BASIC CYCLE: 21 days once a day, then for a long time once a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - eyes general (328) - age-related fatigue (390) - anti-oxidative, antisteno-cardia (292).

**GLAUCOMA 334.**

Used for glaucoma.

BASIC CYCLE: two cycles 7-10 sessions a day with 1-week break, after that 2-3 times a week for up to 2 months.

**Additional programs:** eyes general (328).

**PULMONOLOGY****LUNGS GENERAL 335.**

Program is used for chronic respiratory system diseases, also after acute diseases of lungs and bronchi.

BASIC CYCLE: 7-10 days one session a day. Another cycle for chronic diseases - long-running 2-3 sessions a week.

**COUGH DURING COLD 336.**

7 days every day, then every other day until the disappearance of clinical symptoms.

**Additional programs:** running nose (341) - detox general (372) - drain-

age of the lymphatic system (375).

### 337. BRONCHITIS

**BASIC CYCLE:** for the first 2-3 days twice a day with at least 1-hour break and then 7-10 days once a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - bacterial lung infection (339) - immunostimulating (294).

### 338. BRONCHIAL ASTHMA

**Cycle for hormone-dependent bronchial asthma:** from 3 months to a year.

**BASIC CYCLE:** 21 days one session a day. Necessary 10-day break after which long-running, using program 2-3 times a week.

**Cycle for non-hormone-dependent asthma:** 1-4 months using program 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - general inflammation (394) - diastolic (307) - allergy (229).

### 339. BACTERIAL LUNG INFECTION

**BASIC CYCLE:** for the first 2-3 days twice a day with at least 1-hour break and then 7-10 days once a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - lungs general (335) - general inflammation (394) - diastolic (307) - Beck's frequencies (398) - depending on the symptoms: allergy (229) - bronchitis (337) - pneumonia (340) - bronchial asthma (338).

### 340. PNEUMONIA

**BASIC CYCLE:** for the first 2-3 days twice a day with at least 1-hour break and then 7-14 days once a day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - lungs general (335) - bacterial lung

infection (339).

**RUNNING NOSE 341.**

During the mucositis of any segment of the respiratory tract two sessions 5-7 days used daily.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - general inflammation (394).

**EMPHYSEMA 342.**

Used for emphysema in cycles of 7-10 days twice a month for a long time (up to a year).

**Additional programs:** lungs general (335).

**FIBROSIS 343.**

Used for fibrosis in cycles of 7-10 days twice a month for a long time (up to a year).

**Additional programs:** lungs general (335).

**BRONCHIECTASIS 344.**

Used for bronchiectasis in cycles of 7-10 days twice a month for a long time.

## ENDOCRINOLOGY

**NORMALIZING ENDOCRINE SYSTEM FUNCTION GENERAL 345.**

Short cycle: 3-7 days one session a day. Long cycle: 4-6 months once or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230).

**346. NORMALIZING ADRENAL FUNCTION**

Short cycle: 3-5 days one session a day. Long cycle: 2-3 months 2 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292) - immune system (normalization) (230).

**347. PINEAL GLAND (BALANCE)**

Program can be used with insomnia but for no longer than 3 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - hypophysis balance (348).

**348. HYPOPHYSIS BALANCE**

Overstimulation of pituitary gland can lead to undesirable effects so the program is used in short cycles and under observation of an attending physician.

**Additional programs:** drainage of the lymphatic system (short) (376) - detox general (372).

**349. DIABETES, HYPERGLYCEMIA**

The program is used for diabetes of both types. Duration depends on the severity, duration of the sickness, and can be from 2-3 months to a year. Sessions include several cycles. First 2-3 cycles are: 21 days of daily usage with 10-14-day break. Another 2-3 cycles are with program run every other day. Next cycles twice a week and after that once a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - normalizing pancreas function (153) - normalizing intestines function (154) - normalizing liver function (161) - Schumann waves (397) - healing center (264) - microcirculation during diabetes - normalization (351) - regeneration of cells (256) - diastolic (307) - immune system (normalization) (230).

**INFECTION ACCOMPANYING DIABETES****350.**

Program is used for disorders accompanying diabetes. You should add one of the additional programs to the primary program.

**Additional programs:** detox general (372) - hypophysis balance (348) - normalizing endocrine system function general (345) - immune system (normalization) (230) - normalizing pancreas function (153).

**MICROCIRCULATION DURING DIABETES - NORMALIZATION****351.**

BASIC CYCLE: 7-14 days once a day, then for a long time 2-3 times a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - diabetes, hyperglycaemia (349) - normalizing pancreas function (153).

**DIABETIC TOE****352.**

BASIC CYCLE: 7-14 days one session a day. Another cycle 10-14 days every other day or twice a week. In repeated cycles use additional programs according to the symptoms.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - diabetes, hyperglycaemia (349) - normalizing pancreas function (153) - decreasing blood sugar levels (298) - depending on the symptoms: Beck's frequencies (398)

**HYPOGLYCAEMIA****353.**

Program is used in short cycles, no more than three sessions until the cause of the syndrome is determined. Program can be used only after consulting a doctor.

**Additional programs:** immune system (normalization) (230) - normalizing pancreas function (153).

**NORMALIZING THYROID FUNCTION****354.**

BASIC CYCLE: 7-10 days one session a day. Program can be used only after consulting a doctor.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - hypophysis balance (348) - depending on the symptoms: hyperthyroidism (355) or hypothyroidism (356) - nodular goiter (358).

### 355. HYPERTHYROIDISM

The cycle depends on the underlying condition that caused a given syndrome.

**BASIC CYCLE:** 7-10 days one session a day. The program can be used only after the diagnosis is obtained.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292) - normalizing endocrine system function general (345).

### 356. HYPOTHYROIDISM

The cycle depends on the underlying condition that caused a given syndrome.

**BASIC CYCLE:** 7-10 days one session a day. The program can be used only after the diagnosis is obtained.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - anti-oxidative, antistenocardia (292) - normalizing endocrine system function general (345).

### 357. THYROID GOITER

**BASIC CYCLE:** 7-14 days one session a day. Another cycle 10-14 days every other day or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing thyroid function (354).

### 358. NODULAR GOITER

**BASIC CYCLE:** 7-14 days one session a day. Another cycle 10-14 days every other day or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing thyroid function (354).

**GOITER (OTHER KINDS)****359.**

BASIC CYCLE: 7-14 days one session a day. Another cycle 10-14 days every other day or twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing thyroid function (354).

**PARATHYROIDS (ALL DISORDERS)****360.**

BASIC CYCLE: 3-5 days one session a day. Program can be used only after consulting a doctor.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

**PARATHYROIDS, NORMALIZING CALCIUM METABOLISM****361.**

Cycle depends on the level of phosphor in blood. Program can be used only after consulting a doctor.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

**CUSHING'S SYNDROME****362.**

Recommended in combination with the primary program, long-running (4-6 months) in short courses of 5-7 days with 5-day break.

**Additional programs:** hypophysis balance (348) - normalizing adrenal function (346).

**INJURIES****PHYSICAL, EMOTIONAL, OR MENTAL TRAUMA****363.**

Cycle is unlimited and last from one day to several months. Program is used once a day.

**Additional programs:** detox general (372) - drainage of the lymphat-

ic system (short) (376) - anti-oxidative, antistenocardia (292) - normalizing endocrine system function general (345).

### 364. SPRAIN

Program is recommended for the entire period of the primary program, supports fast regeneration of tendons, muscles, and vascular bundles.

**Additional programs:** normalizing calcium metabolism (361) - fast bone fracture healing (308) - pain general (126) - sharp pain (128) depending on the symptoms: - lymphoedema (221)

### 365. TENDON TEAR

Program is recommended for the entire period of the primary program, supports fast regeneration of tendons and muscles.

**Additional programs:** drainage of the lymphatic system (short) (376) - lymphoedema (221) - normalizing calcium metabolism (2361) - fast bone fracture healing (308) - pain general (126) - sharp pain (128).

### 366. SCARRING (EXTERNAL AND INTERNAL SCARS AND ADHESIONS)

Basic cycle for scarring: one session every other day for two months. Repeated cycle depending on the symptoms.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immune system (normalization) (230).

### 367. INSECT BITES GENERAL

RECOMMENDED CYCLE: Couple sessions a day for 2-3 days with at least 2-hour breaks.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - immunostimulating (294).

### 368. FROSTBITE

Program for skin injured by frostbite and is in acute stage or healing. Cycle depends on the area of damage and degree of frostbite.

RECOMMENDED CYCLE: 3-5 days 2-3 sessions daily, then one session daily for a long time until full recovery.



**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - healing (capillaries) (369) - normalizing liver function (161) - immunostimulating (294) - regeneration of cells (265).

### HEALING (CAPILLARIES) 369.

Cycle depends on the surface area of the wound and severity of the primary disease.

BASIC CYCLE: 3-5 days 2-3 sessions daily, then one session daily for a long time until full recovery.

#### Severe wounds.

Reconstruction stage. 1-5 days 2-3 sessions a day in combination with „General inflammation (394)“ and „Drainage of the lymphatic system (short) (376)“ programs.

Generation stage: 6-14 days once a day in combination with the „Regeneration of cells (265)“ program.

Scarring stage: starting from the 15th day until the full healing once a day, additional programs depending on the symptoms.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - pain general (126) - sharp pain (128) - anti-oxidative, antisthenocardia (292) - immune system (normalization) (230) - regeneration of cells (265) - general inflammation (394) - depending on the symptoms: scars - frostbites - burns.

### FRACTURES, CUTS, INJURIES 370.

Recommended as an addition to the primary program. Cycle of 5-10 days depending on the pathology every day, then every other day until recovery.

**Additional programs:** pain with trauma (142) - physical, emotional, or mental trauma (363) - healing (capillaries) (369) - depending on the symptoms: fast bone fracture healing (308).

### STRAINING TENDONS 371.

Addition to the primary program. First cycle 7-10 days every day, then up to 10 days every other day.

**Additional programs:** pain with trauma (142).

## DETOX

### 372. DETOX GENERAL

Program removing intoxications of all origins.

**Additional programs:** can be used with all kinds of programs.

### 373. DETOX (PROTOZOA INFECTIONS)

Program for work with antiparasitic programs.

**Additional programs:** can be used with all kinds of programs.

### 374. DETOX (BACTERIAL INFECTION, TUBERCULOSIS)

Program for work with antiparasitic programs.

**Additional programs:** can be used with all kinds of programs.

### 375. DRAINAGE OF THE LYMPHATIC SYSTEM

Program removing intoxications of all origins.

**Additional programs:** can be used with all kinds of programs.

### 376. DRAINAGE OF THE LYMPHATIC SYSTEM (SHORT)

Program removing intoxications of all origins.

**Additional programs:** can be used with all kinds of programs.

## EMOTIONS

### 377. EMERGENCY AID (ESPECIALLY IN CASES OF TOXIC LOAD)

Program is used for high toxic load.

BASIC CYCLE: 1-5 days once a day or every other day.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

**ANGER 378.**

Program is aimed at decreasing tension and impulsiveness. It is used as an individual program and in combination with other.

**Additional programs:** physical, emotional, or mental trauma (363) - normalizing endocrine system function general (345) - hypophysis balance (348).

**DEPRESSION GENERAL 379.**

Program is used in cases of depression for the whole cycle of sessions for the primary illness or until the complete disappearance of the symptoms of depression.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing endocrine system function general (345) - obsessive-compulsive neurosis (385) - energy and vitality (382).

**CALMING 380.**

This program is used separately or in combinations in cases of increased nervousness and hyperactivity of unknown cause.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376).

**FOCUSING 381.**

Program helps to focus before important business meetings and, depending on the symptoms: learn fast huge amount of information. Cyclical usage is not required.

**Additional programs:** Schumann waves (397).

**ENERGY AND VITALITY 382.**

Program used for chronic fatigue, with long cycles for chronic diseases. As a preventive measure at the end of the day of work to improve your mood. Cyclical usage is not required. Use depending on the symptoms as well as an additional program in case of many somatic symptoms.

**Additional programs:** can be used with all kinds of programs.

### 383. INTELLECT AND CLARITY OF THOUGHT

Program is recommended in cases of inability to focus. Such state can be caused by fatigue, insomnia, headache, monotonous and repetitive activity. As a primary program it is recommended for troubles with retention. Cycle is long: from 7 days to 2-3 months. Repeated cycle depending on the need.

**Additional programs:** detox general (372).

### 384. IRRITABILITY

Program is recommended for irritability caused by the exhaustion of the nervous system in cases of fatigue, depression, post-trauma reactions, chronic pain syndromes, or discomfort. Cycle is unlimited.

**Additional programs:** fatigue general (389) - detox general (372) - depending on the symptoms: normalizing endocrine system function general (345).

### 385. OBSESSIVE-COMPULSIVE NEUROSIS

Program is recommended for people of certain personality during doubts, fears, and complains. Cycle is unlimited.

**Additional programs:** can be used with all kinds of programs.

### 386. FEAR

Used for fears of various origins in 14-day cycles with 5-7-day breaks until normalization of the condition.

**Additional programs:** can be used with all kinds of programs.

## GENERAL

### 387. LOWERING ELECTRIC CONDUCTION

Program is used in cases of the increased sensitivity to electric cur-

rent. It is recommended before launching healing sessions to avoid unpleasant sensation.

**Additional programs:** can be used with all kinds of programs.

### RESTORING WATER-SALT METABOLISM

388.

Program aimed at restoring water-salt metabolism. Must be combined with the primary disease.

**BASIC CYCLE:** 3-5 days once a day, then up to 10 sessions every day or every other day. In case of edemas 3-5 days once a day, then up to 10 sessions every day or every other day.

**Additional programs:** lymphoedema (221).

### FATIGUE GENERAL

389.

Program is used in cases of severe somatic pathology, autoimmune conditions, as well as after a long and hard day of work if you need to restore your efficiency. Cycle is unlimited.

**Additional programs:** intellect and clarity of thought (383) - detox general (372).

### AGE-RELATED FATIGUE

390.

A preventive program for people after 60 with decreased efficiency and problems with vision and hearing. Unlimited cycle.

**Additional programs:** anti-oxidative, antisthenocardia (292) - antisclerosis (296) - detox general (372).

### HANGOVER

391.

Program is used during the withdrawal syndrome. It is forbidden during the inebriation!

**BASIC CYCLE:** every two hours until full recovery.

**Additional programs:** detox general (372) - improvement of liver function - emergency aid (especially in cases of toxic load) (377) (in cases with vomiting) - headaches (intoxication) (130).

### 392. MOTION/SEA SICKNESS

Use depending on the symptoms: no more than 3-5 times a day.

**Additional programs:** cooling down (380) - Schumann waves (397) - drainage of the lymphatic system (short) (376).

### 393. OBESITY GENERAL

The program is used comprehensively. Action aimed at cleansing the organism of contamination, toxins, metabolites, and metabolites of parasites.

BASIC CYCLE: short cycles 5-7 days. Break between cycles - 7-10 days.

**Additional programs:** detox general (372) - drainage of the lymphatic system (short) (376) - normalizing liver function (161) - energy and vitality (382).

### 394. INFLAMMATION GENERAL

Program is used for every type of inflammation independently or in combination with the etiological and symptomatic programs. The cycle depends on the underlying condition.

**Additional programs:** detox general (372).

### 395. PERITONITIS

Cycle of 14 days must be in combination with the primary program.

**Additional programs:** etiological programs depending on the symptoms - detox general (372) - drainage of the lymphatic system (375).

### 396. ATYPICAL INFECTIONS

Program is used as an additional when the course of the disease is not typical. The cycle depends on the underlying condition.

**Additional programs:** detox general (372).

### 397. SCHUMANN WAVES

A preventive program used for all diseases. Unlimited cycle.

**Additional programs:** detox general (372).

**BECK'S FREQUENCIES 398.**

Program can be used independently or in a complex. Break between sessions 1-2 days.

**Additional programs:** detox general (372).

**MORGELLONS DISEASE (SYNDROME) 399.**

**BASIC CYCLE:** 14 days after that three times repeated cycles. Break between cycles - 7-10 days.

**Additional programs:** detox general (372) - depression general (379) - nervous system general (250) - hypophysis balance (348) - immunostimulating (294) - healing center (264).

**DRUG ADDICTION 400.**

**BASIC CYCLE:** 3 cycles for 14 days with 5-day break, then long-running (up to 6 months) twice a week.

**Additional programs:** detox general (372) - drainage of the lymphatic system (375) - nervous system general (250).

**DOWN SYNDROME 401.**

**BASIC CYCLE:** first cycle 21 days every day, then long-running (up to 6 months) twice a week.

**Additional programs:** intellect and clarity of thought (383) - healing center (264).

**LIPOMA 402.**

**BASIC CYCLE:** 3-5 cycles of 14 days with 5-7-day breaks.

**Additional programs:** drainage of the lymphatic system (375).

## **INDUCTIVE PROGRAMS**

**(USE ONLY THE INDUCTOR)**

**ALPHA RHYTHM 403.**

Program is recommended depending on the symptoms if there is

a rhythm deficiency detected by the electroencephalograph.

### 404. BETA RHYTHM

Program is recommended depending on the symptoms if there is a rhythm deficiency detected by the electroencephalograph.

### 405. THETA RHYTHM

Program is recommended depending on the symptoms if there is a rhythm deficiency detected by the electroencephalograph.

### 406. DELTA RHYTHM

Program is recommended depending on the symptoms if there is a rhythm deficiency detected by the electroencephalograph.

### 407. RELAXING PROGRAM

Program is used for deep internal relaxation and stabilization of the immune system. **Indications:** anxiety, nervousness, difficult and stressful situations, cardioneurosis, phobia, fear, psychosomatic complaints related to heart and cardiovascular system, no contraindications.

BASIC CYCLE: 8-10 sessions once a week each.

### 408. SLEEP CALMING

Program is used to calm down a patient fast. Recommended in cases of: insomnia, dysfunction of falling asleep and sleeping, all anxiety states that are accompanied by the sleeping disorders and cannot be removed using the „Relaxing program“ (407). For the session to be efficient you have to eliminate: stimulating agents (alcohol, drugs, heavy food), artificial light.

BASIC CYCLE: 8 to 10 sessions every day one session per day. Repeated cycle no sooner than after 3-5 days.

### 409. INSOMNIA

This program is different than the „Sleep, calming“ program because as soon as the frequency slowly reaches delta rhythm, it is kept in this frequency range till the end of the session without returning to alpha



rhythm as it happens in the „Sleep, calming“ program for awaking. This is why this program is especially recommended before sleep on a working day.

### REGULATING SLEEPING 410.

Program can be used before sleep or when you have to get rid of bothersome thoughts to concentrate on one thing.

### PROGRAM FOR CHILDREN 411.

Program is used as an auxiliary method for speech impairments in children. Program's action is set to synchronize brain rhythms to obtain mental stabilization of child's strained subconscious. **Indications:** anxiety and phobias in children, lymphatic diathesis with all its consequences (relapsing sinusitis, bronchitis (337), tonsillitis, etc.), nocturnal enuresis, learning disabilities, lowering activity of the immune system, allergies.

**BASIC CYCLE:** 3 cycles of 14 days with 5-day break. Depending on the symptoms: repeat after a month.

### STRESS 412.

Program removing mental blockades and releasing the patient from the stress - disease - stress spiral. **Indications:** mental strain, stressful situations.

### STRESS DURING SICKNESS 413.

Program has a specific impact on the control of the patient's immune system as stress mechanisms are closely connected to immunity. Stress leads to the permanent shift in a hormone balance and thus, to a constant suppression of the immune system. This can result not only in the diseases suppressing the immune system but also in autoimmune diseases. **Indications:** degenerative diseases related to the immune system, e.g. rheumatoid diseases, allergies, mycosis, lymphatic diathesis (mostly at children) for preventive measures to strengthen defensive mechanisms (in this case you can conduct induction with relatively long breaks).

**414. STRESS, ENDOCRINE REGULATION**

Program is used during the disorder of endocrine regulation caused by stress situation.

**Indications:** as a primary program for all diseases related to the deficient function of glands, rheumatism, arthritis, allergy (229), eczema, duodenal ulcer (152), asthma, sinusitis (205), schizophrenia, psychosis, emphysema, edemas, hypertension (217), migraine, hemorrhoids, varicose veins (219), menstrual cycle irregularities, myoma, diabetes, neuro-hormonal syndrome (including anorexia and bulimia), menopause, pubescence.

**415. SPASMS**

General program for all types of stabbing pain used for removing the spasm. **Indications:** migraine, headache, all spasms, spastic pains around shoulder and occiput, umbilical colic at children.

**Contraindications:** cancers.

**416. DEPRESSION WITHOUT ANXIETY**

**Indications:** depressions without anxiety, fatigue, no joy, breakdown, convalescence. **Contraindications:** manic stage of depression with anxiety.

**417. MANIC DEPRESSION**

**Indications:** manic stages depression, anxiety, nervousness, phobia, fear, difficult and stressful situations, cardioneurosis, psychosomatic complaints related to heart and cardiovascular system, vegetative diseases of the gastrointestinal system (including gastritis).

**418. DEPRESSION DURING ENDOCRINE DISORDERS**

Program is used during the disorder of endocrine regulation caused by depression. **Indications:** menopausal depression, menstruation depression, depression of the pubescence.

**419. CEREBRAL PROGRAM**

As all frequency ranges follow one another, organism undergoes stim-

ulation equal to a brain training. **Indications:** activation of intellectual activity, activating the brain, arteriosclerosis, Alzheimer's disease, Parkinson's disease.

**LEARNING 420.**

During this program patient feels deep relaxation that matches high level of intellectual readiness. When using the learning program, you have a break of 25 minutes that you can use to efficiently learn things. **Indications:** weak assimilation of knowledge, learning foreign languages, problems with concentration, decreased sharpness of vision and hearing with no organic disorders, forgetting, problems with coordination. Program can be used every day.

**RETENTION 421.**

**Indications:** program supports increasing intellectual abilities. The program is to activate creativity and improve cerebral circulation. Can be used together with „Learning“ and „Cerebral“.

**SHORT BREAK 422.**

Program of short break was developed in order to give people with stressful jobs a breather. You can use it many times during a day. **Indications:** decreasing fatigue, increasing efficiency, improving concentration, improvement of relations between coworkers.

**RELAXING MUSCLES 423.**

Program is used for removing muscle tone. It works great with massages.

**CLEARING MIND 424.**

Program used in cases when you have to get rid of bothersome thoughts to concentrate on one thing.

**SCHUMANN WAVES 425.**

Program imitating Schumann waves (397).

**426. CONTROLLING CONSCIOUS STATE**

Program gives the possibility of obtaining knowledge about states of consciousness during action of various rhythms: beta, alpha, theta, and delta. It helps to understand the learning process that consists in defining the state of consciousness and retaining them in the form of image (words). After that the patient can easily return to this state on their own by simply remembering the image. This helps to achieve the selected state: relaxation, increased attention, increased creativity, readiness to learn, better adaptation to life changes.

**427. DEVELOPING ARTISTIC SKILLS**

Program exercises readiness of the imagination, codes images for better remembering and their transformation in the consciousness in such a way that you can use their meaning more effectively. Program can be used regularly, even every day.

**428. SITUATIONAL MODELING**

Program for repeating various thoughts, images, feels, emotions, behaviors, and reaction of the people around in your imagination.

**429. DEVELOPING OBSERVATION SKILLS**

Program enabling to achieve peace of thought. It is effective in fighting insomnia, helps to leave the environment and fall asleep. During a day it removes stress and after work causes a nap which helps to restore consciousness to a relaxed and refreshed state. It has the best effect if used after work and at bedtime.

**430. DEVELOPING BUSINESS SKILLS**

Program helps to develop business skills, increases self-confidence.

**431. OVERCOMING FEAR**

Program helps to overcome fears, phobia, and anxieties. Constant

repeats help to collect and defeat all these dangerous situations. Program used for defeating difficulties, fear of public appearances, and assessment.

### **PAINKILLING PROGRAM 432.**

Program helps to deal with the intensive headaches and other forms of discomfort using the method of „metaphorical transformation of pain“.

### **DEVELOPING SELF-RESPECT 433.**

Program should be used by those who want to get rid of addictions as well as change their lives and take a new step. It helps to understand one's true needs better. Effective in work with people who abuse alcohol and drugs.

### **ENERGIZING PROGRAM 434.**

Program enabling to replenish organism's energy fast.

### **SPORT PROGRAM 435.**

Program helps to relax the psychosomatic state. Good for focusing and readiness to a responsible trial of strength and possibilities.





# INDEKS PROGRAMÓW

## A

Abdominal pain **72**  
 achycardia **88**  
 Acne **108**  
 Actinomycete **56**  
 Adenovirus **49**  
 Adnexitis **78**  
 Age-related fatigue **125**  
 Allergic rhinitis **85**  
 Allergy **90**  
 Alpha rhythm **127**  
 Amoeba dysenteriae **54**  
 Analgesic **69**  
 Anger **123**  
 Anisakiasis **62**  
 Ankylosing spondylitis **93**  
 Anti-inflammatory **106**  
 Anti-oxidative, antistenocardia  
**104**  
 Antiparasitic - general program  
**41**  
 Antipodagric **104**  
 Antirheumatic **105**  
 Antisclerosis **105**  
 Antispastic **105**  
 Armed tapeworm **65**  
 Arterial hypertension **88**  
 Arterial hypotension **88**  
 Arthritis **93**  
 Ascaris Worms **62**  
 Aspergillus general **56**

Ataxia **96**  
 Athlete's foot **108**  
 Atopic dermatitis **110**  
 Atypical infections **126**

## B

Backache **70**  
 Backache (spastic) **71**  
 Bacteria **41**  
 Bacteria - general program **41**  
 Bacterial lung infection **114**  
 Bad breath **103**  
 Bartonella **41**  
 Beck's frequencies **127**  
 Bedsores **108**  
 Beta-hemolytic streptococcus **45**  
 Beta rhythm **128**  
 Blisters everywhere **108**  
 Blood cleanse **90**  
 Blood fluke **68**  
 Boil **108**  
 Bordetella (Bordetella pertussis)  
**41**  
 Borrelia **42**  
 Botulism **103**  
 Broad fish tapeworm **65**  
 Bronchial asthma **114**  
 Bronchiectasis **115**  
 Bronchitis **114**  
 Burns **109**

## C



- Calming **106, 123**  
 Candida albicans **57**  
 Candida general **57**  
 Candida glabrata **58**  
 Candida kefyr **59**  
 Candida krusei **58**  
 Candida parapsilosis **58**  
 Candida robusta **57**  
 Candida stelatoidea **58**  
 Candida tropicalis **59**  
 Capillaria **63**  
 Cardiac failure **87**  
 Caries **104**  
 Cataract general **113**  
 Cerebral palsy **96**  
 Cerebral program **130**  
 Cerebral stroke **99**  
 Cervical erosion **79**  
 Cervical Polyp **79**  
 Chinese liver fluke **67**  
 Chlamydia general **47**  
 Chlamydia pneumoniae **47**  
 Cholecystitis **76**  
 Chronic Cholecystitis **76**  
 Chronic neuralgia general **95**  
 Chronobiology of Resonance Treatment **20**  
 Clearing mind **131**  
 Clostridium **43**  
 Clot **89**  
 Colds **49**  
 Colelithiasis **76**  
 Colitis **75**  
 Colon Bacillus General **42**  
 Complex pain **69**  
 Computer Software **34**  
 Conjunctivitis **112**  
 Constipation **75**  
 Contraindications **17**  
 Controlling conscious state **132**  
 Coronary arterial disease **88**  
 Corynebacterium diphtheriae **44**  
 Cosmetology **107**  
 Cough during cold **113**  
 Coxsackievirus general **53**  
 Cramps **96**  
 Creating a report **37**  
 Creating the set of programs **36**  
 Crohn's disease **75**  
 Crosswise and lumbar neuralgia **94**  
 Cushing's syndrome **119**  
 Cysticerci of various kinds **111**  
 Cysticercosis **66**  
 Cytomegalovirus **52**
- D**  
 Decreasing blood sugar levels **105**  
 Delta rhythm **128**  
 Demodex folliculorum **68**  
 Depression during endocrine disorders **130**  
 Depression general **123**  
 Depression without anxiety **130**  
 Dermatology **107**  
 Detox **122**  
 Detox (bacterial infection, tuber-

culosis) **122**  
 Detox general **122**  
 Detox (protozoa infections) **122**  
 Developing artistic skills **132**  
 Developing business skills **132**  
 Developing observation skills **132**  
 Developing self-respect **133**  
 Diabetes, Hyperglycemia **116**  
 Diabetic toe **117**  
 Diastolic **107**  
 Dipylidium caninum **66**  
 Dirofilaria **63**  
 Diuretic **106**  
 Down syndrome **127**  
 Drainage of the lymphatic system **122**  
 Drainage of the lymphatic system (short) **122**  
 Drug addiction **127**  
 Duodenal ulcer **74**  
 Duodenitis **73**  
 Dwarf mouse tapeworm **65**  
 Dysmenorrhoea **80**  
 Dysosmia **86**

**E**

Ear general **86**  
 Eczema **109**  
 Elbow pain **71**  
 Emergency aid (especially in cases of toxic load) **122**  
 Emotions **122**  
 Emphysema **115**  
 Endocarditis **89**  
 Endocrinology **115**

Endometriosis **79**  
 Energizing program **133**  
 Energy and vitality **123**  
 Enlarged adenoids **85**  
 Enterococcus faecium **49**  
 Epidermophyton **61**  
 Epstein-Barr Virus (EBV) **52**  
 Erysipelas **110**  
 Eyes general **112**

**F**

Facial paralysis **104**  
 Fast bone fracture healing **107**  
 Fatigue general **125**  
 Fear **124**  
 Female genital mycosis **100**  
 Female genital system **77**  
 Female infertility **80**  
 Fibroma **79**  
 Fibrosis **115**  
 Filaria general **64**  
 Films **39**  
 Flatulences **73**  
 Flu general **49**  
 Flukes **24, 66**  
 Flukes general **66**  
 Focusing **123**  
 Fractures, cuts, injuries **121**  
 Frostbite **120**  
 Fungi **56**  
 Fungi general **56**

**G**

Gardnerella **42**  
 Gastritis **72**

- Gastrointestinal system **72**  
 General Methodology of The  
 Frequency Treatment **19**  
 Geotrichum **56**  
 Gingivitis **103**  
 Glaucoma **113**  
 Goiter (other kinds) **119**  
 Gonorrhoea **101**  
 Gout **94**
- H**
- Haemolytic staphylococcus **46**  
 Hair growth **111**  
 Hair loss **111**  
 Hair loss (alopecia) **107**  
 Hallucinations **98**  
 Hangover **125**  
 Headache general **69**  
 Headaches (from spine) **70**  
 Headaches (intoxication) **69**  
 Headaches (of unknown origin)  
**70**  
 Headache (urogenital) **70**  
 Healing (capillaries) **121**  
 Healing center **98**  
 Hearing center **97**  
 Heartburn **73**  
 Helicobacter pylori **48**  
 Hemorrhoids **75**  
 Hepatitis A **50**  
 Hepatitis B **50**  
 Hepatitis C **50**  
 Hepatitis general **77**  
 Hepatitis type A **100**  
 Hepatitis typeB **100**  
 Hepatitis type C **100**  
 Herpes (complex cases) **51**  
 Herpes - general **51**  
 Herpes I **51**  
 Herpes II **51**  
 Herpes III **52**  
 Herpes - short **51**  
 Histoplasma **57**  
 History **3**  
 Hives **110**  
 Hookworm **62**  
 Hydatid tapeworm general **66**  
 Hyperhidrosis **111**  
 Hyperthyroidism **118**  
 Hypoacusia **86**  
 Hypoglycaemia **117**  
 Hypophysis balance **116**  
 Hypothyroidism **118**
- I**
- Iliac joint pain **71**  
 Immune system **90**  
 Immune system (normalization)  
**91**  
 Immunostimulating **105**  
 Increasing blood glucose levels  
**106**  
 Indications **15**  
 Induction Loop **32**  
 Inductive Programs **127**  
 Infection accompanying diabe-  
 tes **117**  
 Infections **99**  
 Inflammation general **126**  
 Inflammation of the joint capsule

**94**

- Injuries **119**
- Insect bites general **120**
- Insomnia **98, 128**
- Intellect and clarity of thought **124**
- Intercostal neuralgia **95**
- Intestinal colic **75**
- Intestines - general inflammation **74**
- Irritability **124**
- Ischiadic nerve **96**

**K**

- Kidney stones **92**
- Klebsiella **42**
- Knee pain **71**
- Koch's bacillus (Mycobacterium tuberculosis) **44**

**L**

- Lamblia intestinalis **54**
- Laryngitis with pain **84**
- Laryngology **83**
- Learning **131**
- Leishmania general **54**
- Lipoma **127**
- Liver enlargement **76**
- Lowering electric conduction **124**
- Lumbago **71**
- Lungs general **113**
- Lymphatic system **87**
- Lymphoedema **89**
- Lymphogenic **106**

**M**

- Macular degeneration **113**
- Malassezia general **59**
- Male genital system **81**
- Male Infertility **83**
- Manic depression **130**
- Mastoiditis **87**
- Mastopatia **81**
- Menopause **81**
- Metagonimus **67**
- Methodological Recommendations **9**
- Microcirculation during diabetes - normalization **117**
- Microsporium general **60**
- Migraine **70**
- Morgellons disease (syndrome) **127**
- Motion/Sea sickness **126**
- Multiple sclerosis **97**
- Muscle cramps **94**
- Muscular dystrophy **95**
- Musculoskeletal system **93**
- Mycoplasma - general program **43**
- Mycoplasma genitalium **43**
- Mycoplasma hominis **43**
- Mycoplasma pneumoniae **44**

**N**

- Nausea **73**
- Neck pain **71**
- Neisseria Gonorrhoeae **42**
- Nematodes (roundworms) **26**

- Nephritis **92**  
 Nephrogenic **106**  
 Nervous system general **95**  
 Neuralgia (sharp pain) **72**  
 Neurology **95**  
 Nocardia asteroides **60**  
 Nodular goiter **118**  
 No hormone balance **78, 81**  
 No menstruation **80**  
 Normalizing adrenal function **116**  
 Normalizing endocrine system function general **115**  
 Normalizing erythropoiesis **90**  
 Normalizing heart function **87**  
 Normalizing intestines function **74**  
 Normalizing kidney function **91**  
 Normalizing leucopoiesis **90**  
 Normalizing liver function **76**  
 Normalizing pancreas function **74**  
 Normalizing production of hemoglobin **90**  
 Normalizing thyroid function **117**  
 Nose and nasal sinuses general **84**  
 Nose and Sinuses (Strengthened) **85**
- O**
- Obesity general **126**  
 Obsessive-compulsive neurosis **124**  
 Onchocerca **66**  
 Ophthalmology **112**  
 Opisthorchis viverrini **67**  
 Osteoporosis **93**  
 Otitis interna **86**  
 Otitis media **86**  
 Ovarian cysts **78**  
 Ovaries general **78**  
 Overcoming fear **132**  
 Oxyuriasis **64**
- P**
- Pain general **69**  
 Painkilling program **133**  
 Pain with trauma **72**  
 Pancreatic **106**  
 Papilloma virus **52**  
 Paraesthesia **98**  
 Paragonimus **67**  
 Parathyroids (all disorders) **119**  
 Parathyroids, normalizing calcium metabolism **119**  
 Parkinson's disease **97**  
 Peptostreptococcus **45**  
 Peritonitis **126**  
 Personal programs **38**  
 Pharyngitis **84**  
 Physical and Biological Bases of Resonance Treatment **10**  
 Physical, emotional, or mental trauma **119**  
 Physiological effects **104**  
 Pineal gland (balance) **116**  
 Plasmodium general **44**  
 Plasmodium malariae general **54**

pleen (enlarged) **91**  
 Pneumococcus **44**  
 Pneumonia **114**  
 Pointed condyloma **99**  
 Poliomyelitis **102**  
 Prevention **18**  
 Program for children **129**  
 Programs description **41**  
 Prostate adenoma **82**  
 Prostatic hyperplasia **82**  
 Prostatitis **82**  
 Protozoa **22, 54**  
 Protozoa general **54**  
 Psoriasis **109**  
 Psychosomatic pains **72**  
 Psychostimulating **107**  
 Pulmonology **113**

**R**

Regeneration of cells **98**  
 Regulating menstrual cycle general **77**  
 Regulating sleeping **129**  
 Regulating work of circulatory system **89**  
 Regulation of female genital system general **77**  
 Regulation of male genital system general **81**  
 Relaxing muscles **131**  
 Relaxing program **128**  
 Restoring water-salt metabolism **125**  
 Retention **131**  
 Retrovirus general **53**

Rheumatism **93**  
 Rhinitis **85**  
 Rhinitis, Stuffy Nose **85**  
 Rhinovirus general **53**  
 Ringing in ears **87**  
 Rotavirus general **53**  
 Roundworms **61**  
 Roundworms general **61**  
 Running nose **115**

**S**

Salmonella general **45**  
 Sand in the urinary bladder **92**  
 Sarcoptes scabiei **69**  
 Scabies **102**  
 Scarlet fever **102**  
 Scarring (external and internal scars and adhesions) **120**  
 Schistosoma general **68**  
 Schistosoma mansoni **68**  
 Schumann waves **27, 126, 131**  
 Seminal Vesiculitis **83**  
 Sexual activity (impotence) **82**  
 Sexual center **98**  
 Sharp pain **69**  
 Sheep liver fluke **67**  
 Shigella dysenteriae **48**  
 Shingles **102**  
 Short break **131**  
 Shoulder pain **72**  
 Sight improvement **112**  
 Sinusitis **85**  
 Situational modeling **132**  
 Skin general **107**  
 Sleep calming **128**

- Spasms **130**  
 Speech center **97**  
 Sporotrichum **60**  
 Sport program **133**  
 Sprain **120**  
 Spurs **95**  
 Staphylococcus aureus **46**  
 Staphylococcus epidermidis **46**  
 Staphylococcus general **46**  
 Staphylococcus saprophyticus **46**  
 Staphylococcus + streptococcus **47**  
 Stiffening of limbs **96**  
 Stomatology general **103**  
 Straining tendons **121**  
 Streptococcus faecalis **48**  
 Streptococcus general **45**  
 Streptococcus pyogenes **45**  
 Streptococcus viridans **46**  
 Stress **129**  
 Stress during sickness **129**  
 Stress, endocrine regulation **130**  
 Stuttering **99**  
 Sty **112**  
 Syphilis **101**
- T**
- Tapeworms **65**  
 Tapeworms general **65**  
 Tapeworms (taeniasis) **25**  
 Teeth **103**  
 Tendon tear **120**  
 Therapies **27**  
 Theta rhythm **128**  
 Threadworm **63**
- Throat (short general session) **83**  
 Thrombophlebitis **89**  
 Thymus (balance) **91**  
 Thyroid goiter **118**  
 Ticks **68**  
 Ticks general **68**  
 Tinea cruris **110**  
 Tonsillitis **84**  
 Tonsillar hypertrophy **83**  
 Tonsillitis **84**  
 Toxoplasmosis general **55**  
 Treponema pallidum **48**  
 Trichinosis **64**  
 Trichomonas general **55**  
 Trichophyton concentricum **60**  
 Trichophyton general **60**  
 Trichophyton mentagrophytes **61**  
 Trichophyton rubrum **61**  
 Trichophyton tonsurans **61**  
 Trichosporon **59**  
 Trigeminus pain **96**  
 Trypanosoma **55**  
 Tuberculosis **101**  
 Tuberculosis (short session) **101**
- U**
- Unarmed tapeworm **65**  
 Ureaplasma **47**  
 Urethritis **92**  
 Urinary incontinence **93, 97**

Urinary tract infections **91**

Urology **91**

Uterine myoma **79**

## **V**

Vaginal mucositis **80**

Varicose Veins **89**

Viruses **49**

Viruses general **49**

## **W**

Warts of most kinds **110**

Whipworm **62**

Whooping cough **101**

Wuchereria bancrofti **63**





# TABLE OF CONTENTS

<b>I. HISTORY</b>	
<b>OF THE BIORESONANCE THERAPY .....</b>	<b>3</b>
<b>II. METHODOLOGICAL RECOMMENDATIONS</b>	
.....	<b>9</b>
1. Physical and Biological Bases of Resonance Treatment .....	10
2. Indications .....	15
3. Contraindications.....	17
4. PREVENTION .....	18
5. General Methodology of The Frequency Treatment .....	19
<b>III. OVERVIEW</b>	
<b>OF MICROORGANISMS LIVING IN HUMAN BODY .....</b>	<b>22</b>
1. 1. PROTOZOA.....	22
2. FLUKES .....	24
3. TAPEWORMS (TAENIASIS) .....	25
4. NEMATODES (ROUNDWORMS).....	26
<b>IV. THERAPIES</b>	
<b>SUPPORTING DEHELMINTISATION SESSIONS.....</b>	<b>27</b>
1. Schumann waves .....	27
<b>V. INDUCTION LOOP</b>	
<b>(INDUCTOR) .....</b>	<b>32</b>
<b>VI. COMPUTER SOFTWARE.....</b>	<b>34</b>
<b>LIFE COMMANDER .....</b>	<b>34</b>
1. MAIN WINDOW AFTER THE INSTALLATION OF LIFE COM- MANDER.....	35
2. CREATING THE SET OF PROGRAMS.....	36
3. SAVING THE SET OF PROGRAMS.....	36
4. CREATING A REPORT.....	37
5. PERSONAL PROGRAMS.....	38
<b>VII. FILMS</b>	

TRAINING .....	39
<b>VIII. PROGRAMS DESCRIPTION</b>	
<b>ON SD CARD .....</b>	<b>40</b>
<b>BACTERIA .....</b>	<b>40</b>
Antiparasitic - general program .....	40
Bacteria - general program .....	40
Bartonella .....	40
Bordetella (Bordetella pertussis) .....	40
Borrelia .....	41
Gardnerella .....	41
Neisseria Gonorrhoeae .....	41
Colon Bacillus General.....	41
Klebsiella .....	41
Clostridium .....	42
Mycoplasma - general program .....	42
Mycoplasma genitalium 1 .....	42
Mycoplasma hominis .....	42
Mycoplasma pneumoniae .....	42
Plasmodium GENERAL .....	43
Corynebacterium diphtheriae .....	43
Koch's bacillus (Mycobacterium tuberculosis) .....	43
Pneumococcus .....	43
Peptostreptococcus .....	44
Salmonella general.....	44
Streptococcus general .....	44
Streptococcus pyogenes .....	44
Beta-hemolytic streptococcus .....	44
Streptococcus viridans .....	45
Staphylococcus general .....	45
Haemolytic staphylococcus .....	45
Staphylococcus aureus .....	45
Staphylococcus saprophyticus .....	45
Staphylococcus epidermidis .....	46

Staphylococcus + streptococcus .....	46
Ureaplasma.....	46
Chlamydia general.....	46
Chlamydia pneumoniae .....	47
Treponema pallidum .....	47
Helicobacter pylori.....	47
Shigella dysenteriae .....	47
Streptococcus faecalis .....	47
Enterococcus faecium .....	48
<b>VIRUSES.....</b>	<b>48</b>
Viruses general .....	48
COLDS .....	48
Adenovirus.....	48
FLU GENERAL .....	49
Hepatitis A .....	49
Hepatitis B.....	49
Hepatitis C .....	49
Herpes (complex cases) .....	50
Herpes - general .....	50
Herpes - short .....	50
Herpes I .....	50
Herpes II .....	51
Herpes III .....	51
Epstein-Barr Virus (EBV) .....	51
Cytomegalovirus.....	51
Papilloma virus.....	51
Coxsackievirus general.....	52
Rotavirus general.....	52
Retrovirus general .....	52
Rhinovirus general .....	52
<b>PROTOZOA.....</b>	<b>53</b>
Protozoa general .....	53
Amoeba dysenteriae .....	53
Leishmania general .....	53

Lamblia intestinalis .....	54
Plasmodium malariae general .....	54
Toxoplasmosis general .....	54
Trichomonas general .....	54
Trypanosoma .....	54
<b>FUNGI.....</b>	<b>55</b>
Fungi general.....	55
Actinomycete .....	55
Alternaria .....	55
Aspergillus general .....	55
Geotrichum .....	56
Histoplasma .....	56
Candida general .....	56
Candida albicans .....	56
Candida robusta .....	56
Candida parapsilosis .....	57
Candida stelatoidea .....	57
Candida krusei .....	57
Candida glabrata .....	58
Candida kefyr .....	58
Candida tropicalis .....	58
Trichosporon .....	59
Malassezia GENERAL .....	59
Microsporum GENERAL .....	59
Nocardia asteroides.....	59
Sporotrichum .....	59
Trichophyton GENERAL .....	60
Trichophyton concentricum .....	60
Trichophyton mentagrophytes .....	60
Trichophyton rubrum .....	60
Trichophyton tonsurans .....	60
Epidermophyton .....	61
<b>ROUNDWORMS.....</b>	<b>61</b>
Roundworms general .....	61

Anisakiasis .....	61
Hookworm.....	61
Ascaris Worms .....	62
Whipworm.....	62
Wuchereria bancrofti.....	62
Dirofilaria.....	62
Capillaria .....	63
Threadworm .....	63
Oxyuriasis .....	63
Trichinosis .....	63
FILARIA GENERAL .....	64
<b>TAPEWORMS .....</b>	<b>64</b>
Tapeworms general .....	64
Broad fish tapeworm .....	64
Unarmed tapeworm .....	64
Armed tapeworm .....	65
Dwarf mouse tapeworm.....	65
Dipylidium caninum .....	65
Cysticercosis .....	65
Hydatid tapeworm general .....	65
<b>FLUKES .....</b>	<b>66</b>
Flukes general .....	66
Onchocerca .....	66
Metagonimus .....	66
Paragonimus .....	66
Sheep liver fluke.....	67
Chinese liver fluke .....	67
Opisthorchis viverrini.....	67
Schistosoma general.....	67
Schistosoma mansoni.....	67
Blood fluke .....	68
<b>TICKS .....</b>	<b>68</b>
Ticks GENERAL .....	68

Demodex folliculorum .....	68
Sarcoptes scabiei .....	68
<b>ANALGESIC .....</b>	<b>69</b>
Pain general .....	69
Complex pain .....	69
Sharp pain .....	69
Headache general .....	69
Headaches (intoxication) .....	69
Headaches (of unknown origin).....	69
Headache (urogenital).....	70
Headaches (from spine) .....	70
Migraine .....	70
Backache .....	70
Backache (spastic) .....	70
Iliac joint pain .....	71
Knee pain .....	71
Elbow pain .....	71
Neck pain .....	71
Lumbago .....	71
Pain with trauma.....	71
Shoulder pain.....	71
Abdominal pain .....	72
Psychosomatic pains .....	72
Neuralgia (sharp pain) .....	72
<b>GASTROINTESTINAL SYSTEM.....</b>	<b>72</b>
Gastritis .....	72
Heartburn.....	72
Nausea .....	73
Flatulences .....	73
Duodenitis .....	73
Duodenal ulcer .....	73
Normalizing pancreas function .....	74
Normalizing intestines function .....	74
Intestines - general inflammation.....	74

Colitis.....	74
Intestinal colic.....	75
Constipation.....	75
Crohn’s disease.....	75
Hemorrhoids.....	75
Normalizing liver function.....	75
Liver enlargement.....	76
Cholecystitis.....	76
Chronic Cholecystitis.....	76
Colelithiasis.....	76
Hepatitis general.....	76
Hiatal Hernia.....	77
<b>FEMALE GENITAL SYSTEM.....</b>	<b>77</b>
Regulation of female genital system general.....	77
Regulating menstrual cycle general.....	77
Ovaries general.....	78
No hormone balance.....	78
Adnexitis.....	78
Ovarian cysts.....	78
Cervical erosion.....	79
Cervical Polyp.....	79
Endometriosis.....	79
Fibroma.....	79
Uterine myoma.....	79
Vaginal mucositis.....	80
Dysmenorrhoea.....	80
No menstruation.....	80
Female infertility.....	80
Mastopatia.....	81
Menopause.....	81
<b>MALE GENITAL SYSTEM.....</b>	<b>81</b>
Regulation of male genital system general.....	81
No hormone balance.....	81
Prostatitis.....	82



Prostate adenoma .....	82
Prostatic hyperplasia .....	82
Sexual activity (impotence) .....	82
Male Infertility .....	83
Seminal Vesiculitis .....	83
<b>LARYNGOLOGY .....</b>	<b>83</b>
Throat (short general session) .....	83
Tonsillar hypertrophy.....	83
Tonsillitis .....	84
Pharyngitis .....	84
Tonsillitis .....	84
Laryngitis with pain .....	84
Nose and nasal sinuses general .....	84
Nose and Sinuses (Strengthened) .....	85
Enlarged adenoids .....	85
Rhinitis, Stuffy Nose .....	85
Rhinitis.....	85
Allergic rhinitis .....	85
Sinusitis.....	86
Dysosmia .....	86
Ear general.....	86
Otitis media .....	86
Otitis interna .....	86
Hypoacusia .....	87
Ringling in ears .....	87
Mastoiditis .....	87
Normalizing heart function .....	87
Cardiac failure .....	88
Coronary arterial disease.....	88
achycardia .....	88
Arterial hypertension.....	88
Arterial hypotension.....	88
Varicose Veins.....	89
Thrombophlebitis .....	89

Lymphoedema .....	89
Endocarditis .....	89
Regulating work of circulatory system .....	89
Clot .....	90
<b>CIRCULATORY SYSTEM .....</b>	<b>90</b>
Normalizing erythropoiesis .....	90
Normalizing leucopoiesis .....	90
Normalizing production of hemoglobin .....	90
Blood cleanse .....	90
<b>IMMUNE SYSTEM .....</b>	<b>91</b>
Allergy .....	91
Immune system (normalization) .....	91
spleen (enlarged) .....	91
Thymus (balance) .....	91
<b>UROLOGY .....</b>	<b>91</b>
Normalizing kidney function .....	91
Urinary tract infections .....	92
Nephritis .....	92
Urethritis .....	92
Sand in the urinary bladder .....	92
Kidney stones .....	93
Urinary incontinence .....	93
<b>MUSCULOSKELETAL SYSTEM .....</b>	<b>93</b>
Arthritis .....	93
Rheumatism .....	93
Osteoporosis .....	93
Ankylosing spondylitis .....	94
Gout .....	94
Inflammation of the joint capsule .....	94
Crosswise and lumbar neuralgia .....	94
Muscle cramps .....	95
Muscular dystrophy .....	95
Spurs .....	95

<b>NEUROLOGY .....</b>	<b>95</b>
Nervous system general .....	95
Chronic neuralgia general .....	96
Intercostal neuralgia.....	96
Trigeminus pain.....	96
Stiffening of limbs.....	96
Ischiadic nerve.....	96
Cramps .....	96
Cerebral palsy .....	97
Ataxia .....	97
Multiple sclerosis .....	97
Parkinson's disease .....	97
Urinary incontinence .....	97
Speech center .....	97
Hearing center .....	98
Healing center.....	98
Regeneration of cells.....	98
Sexual center.....	98
Paraesthesia.....	98
Insomnia .....	99
Hallucinations.....	99
Cerebral stroke.....	99
Stuttering .....	99
<b>INFECTIONS .....</b>	<b>100</b>
Pointed condyloma .....	100
Female genital mycosis .....	100
Hepatitis type A .....	100
Hepatitis TYPE B .....	100
Hepatitis type C.....	101
Whooping cough .....	101
Tuberculosis .....	101
Tuberculosis (short session) .....	101
Syphilis .....	102
Gonorrhoea .....	102

Shingles .....	102
Scarlet fever .....	102
Poliomyelitis .....	103
Scabies .....	103
Botulism .....	103
<b>TEETH .....</b>	<b>103</b>
Stomatology general .....	103
Bad breath .....	103
Gingivitis .....	104
Facial paralysis .....	104
Caries .....	104
<b>PHYSIOLOGICAL EFFECTS .....</b>	<b>104</b>
Anti-oxidative, antistenocardia .....	104
Antipodagric .....	105
Immunostimulating .....	105
Antirheumatic .....	105
Antisclerosis .....	105
Antispastic .....	105
Decreasing blood sugar levels .....	106
Increasing blood glucose levels .....	106
Nephrogenic .....	106
Diuretic .....	106
Lymphogenic .....	106
Pancreatic .....	106
Anti-inflammatory .....	107
Calming .....	107
Psychostimulating .....	107
Diastolic .....	107
Fast bone fracture healing .....	107
<b>DERMATOLOGY, COSMETOLOGY .....</b>	<b>108</b>
Hair loss (alopecia) .....	108
Skin general .....	108
Acne .....	108

Athlete's foot .....	108
Bedsores .....	109
Blisters everywhere .....	109
Boil .....	109
Burns .....	109
Eczema.....	110
Psoriasis .....	110
Erysipelas .....	110
Hives .....	110
Warts of most kinds .....	111
Tinea cruris .....	111
Atopic dermatitis .....	111
Hyperhidrosis .....	111
Hair loss.....	112
Hair growth.....	112
Cysticerci of various kinds.....	112
<b>OPHTHALMOLOGY .....</b>	<b>112</b>
Eyes general.....	112
Sight improvement .....	113
Conjunctivitis .....	113
Sty .....	113
Cataract general .....	113
Macular degeneration .....	113
Glaucoma .....	114
<b>PULMONOLOGY .....</b>	<b>114</b>
Lungs general .....	114
Cough during cold.....	114
Bronchitis.....	114
Bronchial asthma.....	114
Bacterial lung infection.....	115
Pneumonia .....	115
Running nose .....	115
Emphysema .....	115
Fibrosis .....	116

Bronchiectasis .....	116
<b>ENDOCRINOLOGY.....</b>	<b>116</b>
Normalizing endocrine system function general .....	116
Normalizing adrenal function .....	116
Pineal gland (balance) .....	116
Hypophysis balance .....	117
Diabetes, Hyperglycemia .....	117
Infection accompanying diabetes .....	117
Microcirculation during diabetes - normalization .....	117
Diabetic toe.....	118
Hypoglycaemia .....	118
Normalizing thyroid function .....	118
Hyperthyroidism .....	118
Hypothyroidism .....	119
Thyroid goiter .....	119
Nodular goiter .....	119
Goiter (other kinds) .....	119
Parathyroids (all disorders).....	119
Parathyroids, normalizing calcium metabolism .....	120
Cushing’s syndrome .....	120
<b>INJURIES.....</b>	<b>120</b>
Physical, emotional, or mental trauma .....	120
Sprain.....	120
Tendon tear .....	120
Scarring (external and internal scars and adhesions).....	121
Insect bites general .....	121
Frostbite .....	121
Healing (capillaries) .....	121
Fractures, cuts, injuries .....	122
Straining tendons .....	122
<b>DETOX .....</b>	<b>122</b>
Detox general.....	122
Detox (protozoa infections) .....	123

Detox (bacterial infection, tuberculosis).....	123
Drainage of the lymphatic system .....	123
Drainage of the lymphatic system (short).....	123
<b>EMOTIONS .....</b>	<b>123</b>
Emergency aid (especially in cases of toxic load) .....	123
Anger .....	123
Depression general .....	124
Calming .....	124
Focusing .....	124
Energy and vitality .....	124
Intellect and clarity of thought .....	124
Irritability .....	125
Obsessive-compulsive neurosis.....	125
Fear .....	125
<b>GENERAL.....</b>	<b>125</b>
Lowering electric conduction .....	125
Restoring water-salt metabolism .....	125
Fatigue general .....	126
Age-related fatigue .....	126
Hangover .....	126
Motion/Sea sickness .....	126
Obesity general .....	126
Inflammation general .....	127
Peritonitis .....	127
Atypical infections .....	127
Schumann waves .....	127
Beck's frequencies .....	127
Morgellons disease (syndrome) .....	127
Drug addiction .....	128
Down syndrome .....	128
Lipoma .....	128
<b>INDUCTIVE PROGRAMS</b>	
<b>(USE ONLY THE INDUCTOR).....</b>	<b>128</b>

Alpha rhythm .....	128
Beta rhythm .....	128
Theta rhythm .....	128
Delta rhythm .....	129
Relaxing program .....	129
Sleep calming .....	129
Insomnia .....	129
Regulating sleeping .....	129
Program for children .....	130
Stress .....	130
Stress during sickness .....	130
Stress, endocrine regulation .....	130
Spasms .....	131
Depression without anxiety .....	131
Manic depression .....	131
Depression during endocrine disorders .....	131
Cerebral program .....	131
Learning .....	132
Retention .....	132
Short break .....	132
Relaxing muscles .....	132
Clearing mind .....	132
Schumann waves .....	132
Controlling conscious state .....	132
Developing artistic skills .....	133
Situational modeling.....	133
Developing observation skills.....	133
Developing business skills .....	133
Overcoming fear .....	133
Painkilling program .....	134
Developing self-respect .....	134
Energizing program .....	134
Sport program .....	134





